HD-A132628



Research Product 83-6

Tactical Symbology Catalog

BATTLEFIELD INFORMATION SYSTEMS TECHNICAL AREA

May 1983 -

TIC FILE COP

DTIC FLECTE SEP 19 1983



83 09 16 006

U.S. ARMY RESEARCH INSTITUTE for the BEHAVIORAL and SOCIAL SCIENCES

Approved for public release; distribution unlimited.

U. S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES

A Field Operating Agency under the Jurisdiction of the Deputy Chief of Staff for Personnel

EDGAR M. JOHNSON Technical Director L. NEALE COSBY Colonel, IN Commander

Research accomplished under contract for the Department of the Army

Perceptronics, Inc.

Technical review by

Harold Martinek Randall M. Chambers

NOTICES

<u>FINAL DISPOSITION:</u> This Research Product may be destroyed when it is no longer needed. Please do not return it to the U.S. Army Research Institute for the Behavioral and Societ Sciences.

NOTE: This Research Product is not to be construed as an official Department of the Army document in its present form.

SECURITY CLASSIFICATION OF THIS PAGE (When Date Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
Research Product 83-6		
. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERE
TACTICAL SYMBOLOGY CATALOG		Research Product Period ending December 198 6. PERFORMING ORG. REPORT NUMBER PTSC-1063-81-12
· AUTHOR(e)		8. CONTRACT OR GRANT NUMBER(#)
Steven C. Johnston Patrick Peck Betty M. Landee		DAHC19-78-C-0018
Performing organization name and address Perceptronics, Inc.	SS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
6721 Variel Ave. Woodland Hills, CA 91367		2Q163739A793
1. CONTROLLING OFFICE NAME AND ADDRESS	······································	12. REPORT DATE
U.S. Army Research Institute for	the Behavioral	May 1983
and Social Sciences		13. NUMBER OF PAGES
5001 Eisenhower Avenue, Alexandria, VA 22333		241
4. MONITORING AGENCY NAME & ADDRESS(If differ	ent from Controlling Office)	15. SECURITY CLASS. (of this report)
		UNCLASSIFIED
		15. DECLASSIFICATION DOWNGRADING SCHEDULE

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

Technically monitored by Dr. Franklin Moses and Ms. Beverly Knapp

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Symbols

Graphic portrayal

Catalog

Tactical information

Military symbology

20. ABSTRACT (Courtisus on reverse aids if recessary and identify by block number)

The Tactical Symbology Catalog is a hard copy version of an automated symbol data base. The data base contains over 1,000 military tactical symbols from over 15 sources including the Army Standard FM 21-30, NATO D-49 as well as Marine, Air Force and other symbol sets. Symbols are catalogued by concept, category, and symbol source so that a user may index by any of these three to compare and contrast symbols. In addition, the catalog contains tutorial information regarding how to input new symbols into the catalog, and a summary of recent US Army Research Institute work in the area of tactical symbology issues.

DD FORM 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

TACTICAL SYMBOLOGY CATALOG

Stephen C. Johnston, Patrick Peck, and Betty M. Landee
Perceptronics, Inc.

Franklin Moses, Contracting Officer's Representative

Submitted by

Harold Martinek, Acting Chief

Battlefield Information Systems Technical Area

Approved as technically adequate and submitted for publication by Stanley M. Halpin, Acting Director SYSTEMS RESEARCH LABORATORY

U.S. ARMY RESEARCH INSTITUTE FOR THE BEHAVIORAL AND SOCIAL SCIENCES 5001 Eisenhower Avenue, Alexandria, Virginia 22333

Office, Deputy Chief of Staff for Personnel
Department of the Army
May 1983

Army Project Number 2Q163739A793

Systems Requirements and Operations

The Battlefield Information Systems Technical Area of the Army Research Institute is concerned with the human resource demands of increasingly complex battlefield systems used to acquire, transmit, process, disseminate, and utilize information. Current research focuses on human performance problems related to the soldier-system interface and is concerned with such areas as software development, the presentation of information on complex displays, user-oriented systems, decision-making, systems integration, and utilization.

Of special interest are human factors problems related to developing and validating new ADP-compatible symbology concepts for efficient display of tactically significant information. The current effort is the result of Task One of a three task symbology contract effort by Perceptronics, Inc., in which over 1,000 tactical symbols were compiled and an automated catalog was designed and implemented to allow on-line collection and indexing of symbols by source, category, and concept. This product is the hard copy version of the automated catalog.

This research is responsive to general requirements of Army Projects 2Q163739A793, and to special requirements of the U.S. Army Combined Arms Combat Development Activity (CACDA), as well as HRN 80-307 (Display of Battlefield Information).

EDGAR M. JOHNSON
Technical Director

NTIS GRAŁI DTIC TAB Unannounced Justification By Distribution/ Availability Codes Distribution/ Distribution/	Accession For	7
Unannounced Justification By Distribution/ Availability Codes	NTIS GRA&I	7
By	DTIC TAB	1
By	Unannounced	1
Availability Codes uval subject [1]	Justification	4
Availability Codes uval subject [1]	D.	1
Availability Codes		1
payed state/or 191	-	┨
at the state of th		
Dist operal	secol sembles	1 2 . SE
al I	Dist Openial	1 /
\mathcal{U}	Λ 1 i	-
	111	1
	M = 1	1

INDEX OF CONTENTS

<u>P</u>	AGE
BACKGROUND	ix
CONTENTS OF TACSYM CATALOG	
MAIN MENU SELECTIONS	1
STRUCTURE OF TACSYM	2
CATALOG ACCESS AND MODIFICATION COMPONENT	3
SYMBOLOGY SOURCES IN CATALOG	6
SYMBOLOGY CATEGORIES IN CATALOG	7
SYMBOLOGY CONCEPTS IN CATALOG	8
AUTOPRINT OF ALL SYMBOLS IN CATALOG	11
SCANNING CATALOG BY SELECTION CRITERIA	89
SOURCES	90
CATEGORIES	93
CONCEPTS	96
FLAGGED SYMBOLS	05
CATALOG PRIMITIVES	13
CATALOG OPERATIONS	26
INSERT	27
DELETE	38
FIND	51
TUTORIAL COMPONENT	58
EXECUTIVE SUMMARY MENUS	59
OVERVIEW	60
SUMMARY OF SYMBOLOGY PROGRAM	61
RESULTS OF USER SURVEY	62

INDEX OF CONTENTS


<u>P.</u>	<u>AGE</u>
SYMBOL DISCRIMINABILITY	164
TACSYM SYSTEM DEVELOPMENT	166
GENERAL RULES	168
SYMBOL DEVELOPMENT	169
DEVELOPING THE UNIT SYMBOL	170
DEVELOPING THE WEAPON SYMBOL	183
DEVELOPING THE POST AND INSTALLATION SYMBOL	196
USE OF COLOR	210
SAMPLE SYMBOLS	213
SYSTEM OPERATIONS	215
HOW TO USE KEYBOARD	216
CATALOG STRUCTURE	239
HOW TO ACCESS CATALOG	240
PROJECT BIBLIOGRAPHY	241


BACKGROUND


The Army Research Institute initiated a three-year research and development program to assess symbology for today's and tomorrow's user needs. This document is the result of one of three tasks¹ completed in the third year of research. The effort involved design and implementation of an automated tactical symbology (TACSYM) system that would allow on-line collection and cataloging of symbol sets from a variety of sources. The majority of this document has been directly generated by TACSYM. As such, paging through it as if sitting before the display screen and interacting with the software of TACYSM.

TACSYM is implemented in the C programming language of the UNIX operating system on a PDP 11/70 and uses a Tektronix 4025 Graphics Terminal as the interactive interface. Hard copy is produced on the Tektronix 4631 dry imaging device. TACSYM has already been implemented on a PDP 11/60 at the CASAA at Ft Leavenworth, KS, and is soon to be transported to the VAX 11/780 for in-house research and development as US ARI, Alexandria, VA.

The TACSYM catalog highlights the fact that there are a vast quantity of unique symbols in existence. These unique symbols represent distinctions between equipment and weapons. Also, the automated catalog provides evidence that system-by-system graphic development is occurring. Consider the portrayal of attack helicopter units — a concept not appearing in the Army's current standard, FM 21-30. When a system requires an attack helicopter symbol, it often is newly developed. For example, each of the following represents an attack helicopter unit:







Thus, the catalog offers justification for the concern that in the absence of standards, system-by-system development is a likely consequence.

¹Task 1 - Automated Symbol Catalogue; Task 2 - Survey of User Needs for Symbolic Information; Task 3 - Discriminability Index as a Basis for Selecting between Conflicting Alternative Symbols.

The user community survey conducted under Task 2 of the contract (Landee, Geiselman, and Clark, 1981) revealed numerous tactical concepts that are relevant to users, but the concepts do not appear in FM 21-30. Moreover, many of these concepts appear regularly on tactical displays through nonstandard techniques. Although the major concepts identified by the users are not available in approved Army Standards, the possibility exists that other symbologies have developed a portrayal method for these concepts. The TACSYM catalog provides an easy-to-use reference for such an application, by enabling a user to look-up any concept. The major concepts identified from the survey as yet not having an accepted symbol include status, capability, availability, threat, and logistics. Additional concepts that were frequently displayed include activities (related to enemy intentions and indication), civilian affairs, communications, enemy frmations, range rans, and enemy 2nd echelon. All of these concepts have been displayed by various users with non-standard techniques. In its automated form, this catalog provides an on-line guide for indexing symbols by source, category and concept, thus highlighting the fact that there are a vast quantity of unique symbols in existence, many symbolize the same concept in different ways, and yet with these, there are no accepted symbols for the concepts mentioned above.

The following pages are generated directly from TACSYM with the exception of the captions atop pages. The captions indicate the menu level at which the plate(s) from TACSYM was produced. For example, the main menu (Plate 1, First Level) provides access to the tutorial and catalogue access levels of the system. The second level of menus (Plate 2) provides access to specific components within either the tutorial or catalogue body as selected. Menus proceed to three or more levels of detail depending on the operation desired by the user.


PLATE 1: FIRST LEVEL MENU SELECTIONS (TUTORIAL SELECTED)

TACTICAL SYMBOLOGY CATALOG

Select desired option by number and press CONFIRM

- Examine Tutorial Describing Catalogue and Operations
 Catalogue Access and Modification
 Terminate the Program

Enter number: 1_



Sistem upermiling

* EXECUTIVE SUMMARY

The above tree structure represents areas of information that a TACSYM user can explore interactively on the system. This particular reproduction of a display frame during a TACSYM session illustrates a user who wishes to examine the TUTORIAL information available in TACSYM and who can select either of two topics (system operations or executive summary) for more information.

PLATE 1: FIRST LEVEL MANU SELECTIONS (CATALOGUE ACCESS SELECTED)

TACTICAL SYMBOLOGY CATALOG

Select desired option by number and press CONFIRM

- 1. Examine Tutorial Describing Catalogue and Operations
- Catalogue Access and Modification
 Terminate the Program

Enter number: 2_

Returning to the first display frame (first level of menu selections), a user now chooses to access the catalogue itself which contains the symbols.

PLATE 2: SECOND LEVEL MENU SELECTIONS (SCAN SELECTED)

ACCESS TO SYMBOLOGY CATALOGUE

Menu Functions

- * scan list catalogue information and display symbols.
- * insert insert names, symbols, or primitives into catalogue.
- * delete delete items from catalogue.
- * find find a selected symbol or primitive in the catalogue.
- * autoprint automatically generates hard copy of all symbols.

>>>>> HAPPY SYMBOLLING <<<<<

Select Catalogue Operation By Number

1 scan 3 delete 5 autoprint 2 insert 4 find EXIT

Enter number and press CONFIRM: 1_

PLATE 3: THIRD LEVEL MENU SELECTIONS

SCANNING OPERATIONS

Indexing Lists of Names and Selection of Symbol Display Criteria

- * sources display symbols by symbology source e.g. FM 21-30 NATO D-49(1980), BETA, etc.
- * categories display symbols by category e.g. weapons, aviation, tactical unit, installation, etc.

Displaying all Items in the Automated Catalogue

- * symbols display all 1000+ symbols in the automated catalogue.
- * flagged symbols display of all symbols in the catalogue that are marked as highly discriminable.

Select Scanning Operation by Number and Press CONFIRM.

INDEX LIST OF: 1 sources 2 categories 3 concepts
DISPLAY ALL THE: 4 symbols 5 flagged symbols 5 primitives

Scan: _

SYMBOLOGY SOURCES DISPLAYED (SELECTED FROM THIRD LEVEL MENUS)

SYMBOLOGY SOURCES

1 DIVRRS
2 NATO D-49(1980)
3 TCO
4 FM 21-30
5 TOS
6 CPS
7 BETA TEST BED
8 MIFRSS
9 TAOC-65
10 TACC
11 ITACC
12 AF E-3A PPI

13 AF 487L/485 L T

14 PLRS 15 AFR 55-25 16 FM 101-5-1 17 CDEC-VIDS

END OF LIST

SCAN: To display catalogue source, enter its number from the list above and press CONFIRM, else press EXIT. Enter source number:

SYMBOL CATEGORIES DISPLAYED (SELECTED FROM THIRD LEVEL MENUS)

SYMBOL CATEGORIES

- 1 ACTIVITY
- 2 AVIATION .
- 3 COMMUNICATION
- 4 VEHICLES
- 5 TACTICAL UNIT
- 6 MEASLE
- 7 COMBAT SERVICE SUPPO
- 8 NUCLEAR BIO CHEM
- 9 OBSTACLES AND FORT
- 18 INSTALLATIONS
- 11 WEAPON

END OF LIST

SCAN: To display catalogue category, enter its number from the list above and press CONFIRM, else press EXIT. Enter category number:

SYMBOL CONCEPTS DISPLAYED (SELECTED FROM THIRD LEVEL MENUS)

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
1 Action 2 Bridging 3 Ferrying	23 Seaplane24 Transport25 Emit	45 Boat 46 C-Cube 47 Cargo
4 Movement	26 Message Center	46 Engine
5 Destroyed	27 Signal	49 Ferry
6 Phoney	28 Nuclear	50 Air Cavalry
7 Propoganda	29 Formation	51 Howercraft
8 Responsibility	30 Reconnaissance	52 Operational
9 Snorkeling	31 Jamming	53 Communication
10 Aerial	32 Radar	54 Over—snow
11 Antisubmarine	33 Radio	55 Personnel
12 Aviation	34 Telephone	56 Missile
13 Bomber	35 Teleprinter	57 Railway
14 Close Air Support	36 Television	58 Shooter
15 Drone Aircraft	37 ADP Central	59 Sledge/sled
16 Fighter	38 Elec. Navig. Aid	60 Vehicle
17 Fixed Wing Aircraft 18 Helicopter 19 Marine	39 Microphones 48 Target Designator 41 Visual Station	61 Ship 62 Airfield 63 Submarine
20 High Performance	42 Amphibious	64 Tracked
21 Medevac	43 Animal	65 Landing Site
22 Rescue	44 Armoured	66 Train
the IVE SUICE	THE HEAD EU	MORE Press CONFIRM

for next page

SCAN: To display catalogue concept, enter its number from the list above and press CONFIRM, else press EXIT.

Enter concept number : _

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
67 Wheeled 68 Unspecified 69 Landing Zone 70 Vehicles 71 Surface 72 Seaplane Station 73 Landing Vehicle 74 MICV 75 Air Defense 76 Ammunition 77 Air Mobile 78 Air Transportable 79 Air Naval Ground 80 Airborne 81 Antiaircraft 82 Antiank	89 CBR 90 Chemical 91 Combined Arms Army 92 CEWI 93 C2 Element 94 Decontamination 95 Command 96 Electronic 97 Electronic Warfare 98 Engineer 99 Food 100 Infantry 101 Fuel 102 Irregular Forces 103 Maneuver Unit	111 Navy 112 Ordnance- 113 Parachute 114 Reinforcement 115 Shooters 116 Special Forces 117 Bio or Chem Event 118 Contamination 119 Radioactive Area 120 Radioactive 121 Targets 122 Booby Trap 123 Bridge 124 Demolition 125 Fence 126 Data Processing Unit
82 Antitank	104 Marines	126 Data Processing Unit
83 Armour 84 Army Security Agoy 85 Artillery	105 Brigade 106 Military 107 Mortar Fire Unit	127 Dental 128 Maintenance 129 Major End Items
96 Collecting Point 87 FA		130 Medical 131 Hospital
88 Construction	110 Movers	132 Medical Supply

MORE.... Press CONFIRM

for next page

SCRN: To display catalogue concept, enter its number from the list above and press CONFIRM, else press EXIT. Enter concept number:

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
133 Mines 134 Missile Supply 135 Multi-Class 136 Multirole 137 Nuclear Storage 138 Personal Demand 139 Repair Parts 140 Wire 141 Obstacle 142 Subsistence 143 Traffic Control 144 Unknown Logistic 145 Water 146 Force 147 Headquarters 148 Landing	155 Support 156 Rear Area Operations 157 Service 158 Trains 159 Ground Attack 160 ICV 161 Tank 162 Clothing 163 Plane 164 Flame Thrower 165 Gun 166 Mortar 167 Naval Gunfire 168 Rifle 169 Rocket 170 Rocket Launcher 171 Weapon 172 Smoke Generator 173 Tracks	177 Zone
153 Petroleum Supply 154 Shore Party Team	175 Taxic Agent 176 Trenches	

END OF LIST

SCAN: To display catalogue concept, enter its number from the list above and press CONFIRM, else press EXIT. Enter concept number:

PLATE 2: SECOND LEVEL MENU SELECTIONS (AUTOPRINT SELECTED)

ACCESS TO SYMBOLOGY CATALOGUE

Menu Functions

- * scan list catalogue information and display symbols.
- * insert insert names, symbols, or primitives into catalogue.
- * delete delete items from catalogue.
- * find _ find a selected symbol or primitive in the catalogue.
- * autoprint automatically generates hard copy of all symbols.

>>>>> HAPPY SYMBOLLING <<<<<

Select Catalogue Operation By Number

1 scan 3 delete 5 autoprint 2 insert 4 find EXIT

Enter number and press CONFIRM: 5_

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.1.1	TACTICAL UNIT/ Air Cavalny/		FM 21-30
	nir Cavairy	9	DI = 1.68
1.1.2	TACTICAL UNIT/ Air Cavalry/		NATO D-49(1980)
	···· Gavan g		DI • 3.53
1.1.3	TACTICAL UNIT/ Air Cavalry/		TCO
	<u></u>		
1.2.1	TACTICAL UNIT/ Air Defense/		NATO D-49(1980), TOS , BETA TEST BED
	(AD)		, 22
1.2.2	TACTICAL UNIT/ Air Defense/		FM 21-30, BETA TEST BED
	artillery		DI • 1.63
1.2.3	TACTICAL UNIT/ Air Defense/		BETA TEST BED
	artillery		ADA unknown, or Rgt or Btry. DI = 2.13
1.2.4	TACTICAL UNIT/ Air Defense/	i i 1	MIFASS
	antillery tanget		Unit size is noted below symbol.
1.2.5	TRCTICAL UNIT/ Air Defense/		BETA TEST BED
	missile		See Missile for related symbols.
1.2.6	TACTICAL UNIT/ Bir Defense/	^	CPS
	missile (enemy)	$\stackrel{\frown}{\perp}$	

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.2.7	TACTICAL UNIT/ Air Defense/ tube enemy		CPS
1.3.1	TACTICAL UNIT/ Air Mobile/	<u></u>	FM 21-30, NATO D-49(1980) DI = 0.73
1.3.2	TACTICAL UNIT/ Air Mobile/	\bigcirc	TOS DI = 2.63
1.3.3	TACTICAL UNIT/ Air Mobile/	Ĭ	TCO has sufficient air mob helos to conduct air mob operations
1.4.1	TACTICAL UNIT/ Air Transportable/		NATO D-49(1982)
1.5.1	TACTICAL UNIT/ Air Naval Ground/ liaison	ANGL	тсо
1.6.1	TACTICAL UNIT/ Airborne/		FM 21-30, TOS DI = 0.73
1.6.2	TACTICAL UNIT/ Airborne/	\bigcirc	BETA TEST BED symbol same as NATO D-49 parachute symbol. DI = 1.63
1.6.3	TACTICAL UNIT/ Airborne/ CP		BETA TEST BED

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.6.4	TACTICAL UNIT/ Airborne/ infantry		FM 21-30, TOS
1.7.1	TACTICAL UNIT/ Amphibious/		TCO
1.7.2	TACTICAL UNIT/ Amphibious/		FM 21-38, NATO D-49(1980)
1.8.1	TACTICAL UNIT/ Antiaircraft/	1	AF E-3A PPI
1.9.1	TACTICAL UNIT/ Antitank/		FM 21-30, NATO D-49(1980) , TOS DI = 1.63
1.9.2	TACTICAL UNIT/ Antitank/	\triangle	CPS DI = 4.28
1.9.3	TACTICAL UNIT/ Antivank/ helicopver		NATO D-49(1983)
1.9.4	TACTICAL UNIT/ Antitank/ missile		NATO D-49(1980) See Missile for related
	M19911C		symbols.
1.10.1	TACTICAL UNIT/ Armour/		FM 21-30, NATO D-49(1980) TOS, BETA TEST BED

CF	ITEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.10.2	TACTICAL UNIT/ Armour/ enemy	\Diamond	CPS DI = 5.18
1.10.3	TACTICAL UNIT/ Armour/ enemy		FM 21-30 DI = 1.68
1.10.4	TACTICAL UNIT/ Armour/ target		MIFASS Unit size is noted below symbol.
1.10.5	TACTICAL UNIT/ Armour/ infantry		NATO D-49(1980) See Infantry for related symbol.
1.10.6	TACTICAL UNIT/ Armour/ recce or cav		FM 21-30, TOS, BETA TEST BED
1.11.1	TACTICAL UNIT/ Army Security Agoy/	ASA	FM 21-30
1.11.2	TACTICAL UNIT/ Army Security Agoy/	ASA	TOS
1.12.1	TACTICAL UNIT/ Artillery/	•	NATO D-49(1980) , BETA TEST BED
1.12.2	TACTICAL UNIT/ Artillery/ D/S	\bigcirc	MIFASS Immediate request symbol, size noted below symbol.

œ	ATEGORY/COINCEPT/	SYMBOL	SOURCE AND REMARKS
1.12.3	TACTICAL UNIT/ Argillery/ G/S	-(A)-	MIFRSS Immediate request symbol,
1.12.4	TACTICAL UNITA Antillenya		size noted below symbol.
	target		Size noted below symbol.
1.12.5	TACTICAL UNIT/ Antilleny/ fiels (FA)	6	FM 21-32, TOS
1.12.6	TACTICAL UNITA Amtillenya nocket	છે	NATO D-49(1968)
1.12.7	TACTICAL UNIT/ Artillerg/ rocket (enemy)	$\stackrel{\frown}{\downarrow}$	CPS
1.12.8	TACTICAL UNIT/ Artillery/ MRL	\$	BETA TEST BED See weapons section for other mult rocket launcher symbols.
1.13.1	TACTICAL UNIT/ FA/ tube (enemy)		CPS
1.14.1	TACTICAL UNIT/ CER/		FM 21-30 DI = 2.63
1.14.2	TACTICAL UNIT/ CBR/	~~	NATO D-49(1988) DI = 1.28

С	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.15.1	TACTICAL UNIT/ Chemical/	~~°	TOS Symbol represents chemical or chemical decontamination unit
1.15.2	TACTICAL UNIT/ Chemical/ defense	(XO)	BETA TEST BED
1.16.1	TACTICAL UNIT/ Combined Arms Army/	CAA	TOS DI • 0.73
1.16.2	TACTICAL UNIT/ Combined Arms Army/	CA	BETA TEST BED DI = 0.73
1.17.1	TACTICAL UNIT/ CEWI/	ŒWI	NATO D-49(1980) , BETA TEST BED
1.18.1	TACTICAL UNIT/ C2 Element/	D-7-0	AF E-3A PPI
1.19.1	TACTICAL UNIT/ Command/ HQ	R	AF E-3A PPI
1.19.2	TACTICAL UNIT/ Command/ post		FM 21-30, NATO D-49(1980) , TOS, BETA TEST BED DI = 1.63
1.19.3	TACTICAL UNIT/ Command/ post	*	CPS DI = 5.18

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
1.20.	1 TACTICAL UNIT/ Electronic Warfare/ (EW)		FM 21-32 See signal for related *ymbols. DI = 1.63
1.20.2	TACTICAL UNITY Electronic Warfare/ (EW)		NATO D-49(1988) See Signal for related symbols. DI = 1.63
1.21.1	TACTICAL UNIT/ Engineer/		FM 21-30, NATO D-49(1980) , TOS DI = 0.73
1.21.2	TACTICAL UNITY Engineery		CPS DI = 4.28
1.21.3	TACTICAL UNIT/ Engineer/ bridging		NATO D-49(1982) DI = 2.13
1.21.4	TACTICAL UNITY Engineer/ bridging		FM 21-30, BETA TEST BED DI = 2.13
1.21 5	TACTICAL UNIT/ Engineer/ pipeline bridge	FL T	BETA TEST BED
1.22.1	TACTIONL UNIT/ Infantry/		FM 21-30, TOS, BETA TEST BED
1.22.2	TACTICAL UNIT/ Infantry/ armoured		FM 21-30

a	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.22.3	TACTICAL UNIT/ Infantry/		NATO D-49(1980)
	armoured		DI - 0.93
1.22.4	TACTICAL UNIT/ Infantry/ mechanized		NATO D-49(1980), TOS
1.22.5	TACTICAL UNIT/ Infantry/ motorized		NATO D-49(1980)
1.23.1	TACTICAL UNIT/ Irregular Forces/	I	FM 21-30, NATO D-49(1980)
1.24.1	TACTICAL UNIT/ Maneuver Unit/	MU	BETA TEST BED
1.25.1	TACTICAL UNIT/ Marines/	M	NATO D-49(1980)
1.25.1	TACTICAL UNIT/ Military/ intelligence	MI	FM 21-30, TOS , NATO D-49(1980) also refers to security and interrogation
1.26.2	TACTICAL UNIT/ Military/ police	MP	FM 21-30, NATO D-49(1980) , TOS
1.27.1	TACTICAL UNIT/ Missile/ friendly	\bigcap	TAOC-85

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
1.27.2	TACTICAL UNIT/ Missile/ enemy		TAOC-85
1.27.3	TACTICAL UNIT/ Missile/ rocket and guided		FM 21-30 For related symbols see AD
1.27.4	TACTICAL UNIT/ Missile/		unit and AD weapon symbols. NATO D-49(1980)
1.27.5	TACTICAL UNIT/ Missile/		AF E-3A API
1.27.6	TACTICAL UNITA		AF E-3A PPI
1.27.7	TACTICAL UNIT/ Missile/		NATO D-49(1980) For related symbols see A-T weapons symbols. DI = 1.63
1.27.8	TACTICAL UNITA		BETA TEST BED DI = 2.13
1.27.9	TACTICAL UNIT/ Missile/ tactical		TOS
1.28.1	TACTICAL UNIT/ Mortar Fire Unit/		MIFASS Size is noted on top of symbol with size symbols.
			a see adupotat

a	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.29.1	TACTICAL UNIT/ Motor Rifle/	\triangle	CPS
1.30.1	TACTICAL UNIT/ Mountain/		FM 21-30, NATO D-49(1980)
1.31.1	TACTICAL UNIT/ Movers/		BETA TEST BED DI = 5.18
1.31.2	TACTICAL UNIT/		DIVRAS
	Movers/		DI = 3.83
1.32.1	TACTICAL UNIT/ Navy/		NATO D-49(1982)
1.33.1	TACTICAL UNIT/ Ordnance/	8	FM 21-30 DI = 1.63
1.33.2	TACTICAL UNIT/ Ordnance/		NATO D-49(1980)
	G unance/	Q	DI = 1.63
1.34.1	TACTICAL UNIT/ Parachute/	<u></u>	FM 21-30
		\bigcirc	DI = 1.18
1.34.2	TACTICAL UNIT/ Parachute/		NATO D-49(1982)
:	<u> </u>	\bigcirc	See Airborne unit symbol - BETA TEST BED.

œ	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.35.1	TACTIONL UNIT/ Reconnaissance/		FM 21-30, NATO D-49(1990) , TOS, BETA TEST BED, MIFASS
1.36.1	TACTICAL UNIT/ Reinforcement/ holding unit	RHU	NATO D-49(1992)
1.37.1	TACTICAL UNIT/ Shooters/	^	BETA TEST BED
	Shooters/		unknown shooters
1.37.2	TACTICAL UNIT/ Shooteds/ artillery	0	DIVRAS
1.37.3	TACTICAL UNIT/ Shooters/ missile/rocket		DIVRAS
1.38.1	TACTICAL UNIT/ Signal/		FM 21-30, NATO D-49(1980) , BETA TEST BED
1.38.2	TACTICAL UNITA		BETA TEST BED
	Signal/ intelligence	N	See electronic warfare
1.39.1	TACTICAL UNIT/ Special Forces/	SF	NATO D-49(1980)
1.40.1 !	TACTICAL UNIT/ Vehicle/ light assault	000	TCO

a	ATEGORY/CONCEPT/	SYMBOL.	SOURCE AND REMARKS
2.1.1	AVIATION/ Aerial/ Reconnaissance		TC0 -
2.2.1	AVIATION/ Antisubmarine/ Aircraft(AF)		FM 21-30
2.4.1	AVIATION/ Aviation/		CPS
2.4.2	RVIATION/ Aviation/	∞	FM 21-30, NATO D-49(1980) , TCO
2.4.3	AVIATION/ Aviation/ Army		FM 21-30, DIVRAS DI = 3.83
2.4.4	AVIATION/ Aviation/ Army		NATO D-49(1980) DI = 5.18
2.4.5	AVIATION/ Aviation/ Army		TOS DI = 5.18
2.4.6	AVIATION/ Aviation/ Combat	\bigcirc	BETA TEST BED symbol also represents attack helicopter
2.5.1	AVIATION/ Bomber/ Air Force		FM 21-30 this symbol represents trans- port aviation in NATO D-49

(CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.5.2 -	AVIATION/ Bomber/ Air Force		NATO D-49(1980) -
2.6.1	AVIATION/ Close Air Support/		MIFASS
2.7.1	AVIATION/ Drone Aircraft/ Air Force	\Leftrightarrow	FM 21-38
2.8.1	AVIATION/ Fighter/' Air Force		FM 21-30, NATO D-49(1980)
2.8.2	RVIATION/ fighter/ Air Force all wheather		FM 21-30
2.8.3	AVIATION/ Fighter/ bomber Air Force		FM 21-38
2.8.4	AVIATION/ Fighter/ Air Force tactical light weight strike		FM 21-30
2.8.5	AVIATION/ Fighter/ FIO (AF)	*	CDEC-VIDS
2.8.6 :	AVIATION/ Fighter/ enemy	★	AFR 55-25

C	CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.8.7	AVIATION/ Fighter/ enemy		TOS :
2.8.8	AVIATION/ Fighter/ Interceptor unpaired		AF E3A PPI Air Track
2.8.9	AVIATION/ Fighter/ Inteceptor paired		AF E3A PPI Air Track
2.9.1	AVIATION/ Fixed Wing Aircraft/ Air Force		NATO D-49(1982)
2.9.2	AVIATION/ Fixed Wing Aircraft/ light-Air Force		FM 21-30
2.9.3	AVIATION/ Fixed Wing Aircraft/ Army		NATO D-49(1980)
2.9.4	AVIATION/ Fixed Wing Aircraft/	•	MIFASS Air Track
2.9.5	RVIATION/ Fixed Wing Aircraft/ attack squadron	VMA _	TCO VMA plus three numbers
2.9.6	AVIATION/ Fixed Wing Aircraft/ fighter attack	WFR	TCO WFA plus 3 numbers

C	PATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.9.7	AVIATION/ Fixed Wing Aircraft/ HQ and Maintenance	H & MS	TCO =
2.9.8	AVIATION/ Fixed Wing Aircraft/ observation	VMO -	тсо
2.10.1	AVIATION/ Ground Attack/ aircraft		BETA TEST BED
2.10.2	AVIATION/ Ground Attack/		CDEC-VIDS
	aircraft A10		NTC Test
2.11.1	AVIATION/ Helicopter/	·	BETA TEST BED
	•		note Army helicopter symbol- NATO
2.11.2	AVIATION/ Helicopter/	\ /	BETA TEST BED
		\times	symbol represents helos or helo lz
2.11.3	AVIATION/ Helicopter/		MIFASS
		lacksquare	Air Track
2.11.4	AVIATION/ Helicopter/		PLPS
			rotary wing or low performance aircraft
2.11.5	AVIATION/ Helicopter/ Air Force		FM 21-30, NATO D-49(1980) , TCO

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.11.6	AVIATION/ Helicopter/ Army		FM 21-30 DI • 4.33
2.11.7	AVIATION/ Helicopter/ Army		NATO D-49(1982) DI = 5.68
2.11.8	AVIATION/ Helicopter/ antitank		NATO D-49(1980)
2.11.9	AVIATION/ Helicopter/ attack		TOS DI = 5.68
2.11.10	AVIATION/ Helicopter/ attack		BETA TEST BED also represents
2.11.11	AVIATION/ Helicopter/ attack		CDEC-VIDS
2.11.12	AVIATION/ Helicopter/ attack		тсо
2.11.13	AVIATION/ Helicopter/ combat		NATO D-49(1980)
2.11.14	AVIATION/ Helicopter/ enemy		TOS sighted enemy helicopter

CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.11.15 AVIATION		TAOC-85
<pre> Helicopter/ - air track enemy</pre>		unknown helo/transport-enemy or friend
2.11.16 AVIATION/ Helicopter/	_	TAOC-85
enemy		Air Track symbol for hostile, general, helo/transport
2.11.17 AVIATION/ Helicopter/		TACC, ITACC
enemy		Air Track symbol for unknown, assumed enemy helo
2.11.18 AVIATION	٨	MIFASS
Helicopter/ enemy	/• \	Air Target Symbol
2.11.19 AVIATION/		AF E-3A PPI
Helicopter/ friend		Air Track for unpaired friendly helo
2.11.20 AVIATION		AF E-3A PPI
Helicopter/ friend		Air Track for paired friendly helo
2.11.21 AVIATION		AF 487L/485 L T
Helicopter/ friend	٤٠	Air Track for unpaired friendly helo
2.11.22 AVIATION		AF 487L/485 L T
Helicopter/ friend	$\geq \cdot$	Air Track for paired friendly helo
2.11.23 AVIATION/ Helicopter/		TACC, ITAOC, TAOC-85
friend	\cup	Air Track for friendly helo, general, no statement

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.11.24			TACC, ITACC
*	Helicopter/ friend	0	Air Track for unknown, as- sumed friendly helo/transport
2.11.26	AVIATION/ Helicopter/		TOS
	heavy		see also transport helo symbol
2.11.27	AVIATION∕ Helicopter∕		FM 21-30
	heavy army		see also transport helo symbol
2.11.28	AVIATION/ Helicopter/ OH-58		CDEC-VIDS
2.11.29	AVIATION/ Helicopter/ pickup	PU	MIFASS
2.11.30	AVIATION/ Helicopter/ delivery		MIFASS
2.11.31	AVIATION/ Helicopter/ transport Air Force		FM 21-30
2.12.1	AVIATION/ High Performance/ aircraft		PLRS

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
2.13.1	AVIATION/ Marine/ Air Control Group	MACG	TCO -
2.13.2	AVIATION/ Marine/ Air Control	MACS	TCO
2.13.3	AVIATION/ Marine/ Air Support	MASS	TCO
2.13.4	AVIATION/ Marine/ Wing Command	MACS	тсо
2.13.5	AVIATION/ Marine/ Wing HQ Squadron	Mutis	TCO
2.13.6	AVIATION/ Marine/ Wing Support Group	MWSG	TCO
2.14.1	AVIATION/ Medevac/	\sim	MIFASS unit size is noted
2.15.1	AVIATION/ Plane/	<u>الے</u> محالے	below symbol TOS
2.16.1	AVIATION/ Reconnaissance/ Air Force	\$\frac{1}{2}	sighted enemy plane with cargo characteristics FM 21-30, NATO D-49(1980)

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.16.2	AVIATION/ Reconnaissance/ light weight Air Force		FM 21-30 -
2.17.1	AVIATION/ Rescue/ Air Force		FM 21-30 note similarity to Medevac symbol
2.18.1	AVIATION/ Seaplane/		FM 21-30
2.19.1	AVIATION/ Transport/		NATO D-49(1980) this symbol represents an AF bomber in FM 21-30 .
2.19.2	AVIATION/ Transport/ Air Force		FM 21-30
2.20.1	AVIATION∕ Airfield∕		FM 21-30, TCO
2.20.2	AVIATION∕ Airfield∕		BETA TEST BED
2.21.1	AVIATION/ Landing Site/		FM 21-32, TCO
2.21.2	AVIATION/ Landing Site/		NATO D-49(1982)

C	RTEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.21.3	AVIATION/ Landing Site/ helicopter		FM 21-30, TCO -
2.21.4	AVIATION/ Landing Site/ helicopter		NATO D-49(1988)
2.22.1	AVIATION/ Landing Zone/ helicopter	L Z	BETA TEST BED
2.23.1	AVIATION/ Seaplane, Station/		FM 21-30, TCO
3.1.1	COMBAT SER. SUPPORT/ Brigade/ service support group	BSSG	TCO
3.2.1	COMBAT SER. SUPPORT/ Data Processing/ Unit	DPU	NATO D-49(1980)
3.3.1	COMBAT SER. SUPPORT/ Dental/	DEN TAL	TCO
3.4.1	COMBAT SER. SUPPORT/ Engineer/		TCO
3.5.1	COMBAT SER. SUPPORT/ Force/ service support group	FSSG	TCO

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
3.6.1	COMBAT SER. SUPPORT/ Headquarters/ and service	H&S	TCO :
3.7.1	COMBAT SER. SUPPORT/ Landing/ support	LS	TCO
3.8.1	COMBAT SER. SUPPORT/		NATO D-49(1980)
	Logistics Unit/		unspecific or multirole DI = 1.63
3.8.2	COMBAT SER. SUPPORT/ Logistics Unit/		NATO D-49(1980)
	Logistics witt	LOG	unspecified multirole for some nations DI = 0.73
3.9.1	COMBAT SER. SUPPORT/ Maintenance/	>— <	FM 21-30, NATO D-49(1980) , BETA TEST BED
3.9.2	COMBAT SER. SUPPORT/ Maintenance/		TOS
	aviation	₩	note symbol for maintenance transportation - 3.9.4
3.9.3	COMBAT SER. SUPPORT/ Maintenance/		TOS
	signal	> (note symbol 3.9.5
3.9.4	COMBAT SER. SUPPORT/		FM 21-30
	transportation	> — C	note symbol 3.9.2
3.9.5	COMBAT SER. SUPPORT/ Maintenance/		FM 21-30
:	and supply	> (note symbol 3.9.3

C	CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
3.10.1	COMBAT SER. SUPPORT/ Marine Amphibious/ unit service support grp.	MSSG	TCO :
3.11.1	COMBAT SER. SUPPORT/ Medical/		FM 21-30, NATO D-49(1980) , TOS, BETA TEST BED DI = 1.63
3.11.2	COMBAT SER. SUPPORT/ Medical/		NATO D-49(1980)
			specific to Turkey DI = 1.63
3.12.1	COMBAT SER. SUPPORT/ Aero Medical/	00	TOS
3.13.1	COMBAT SER. SUPPORT/ Motor Transport/	\bigcirc	тсо
3.14.1	COMBAT SER, SUPPORT/ Personnel & Admin./	P S	FM 21-30, TOS
3.15.1	COMBAT SER. SUPPORT/ Petroleum Supply/	Y	TOS
3.16.1	COMBAT SER. SUPPORT/ Shore Party Team/	SP	TCO
3.17.1	COMBAT SER. SUPPORT/ Supply/		тсо

Cf	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
3.18.1	COMBAT SER. SUPPORT/ Support/		CPS
3.18.2	COMBAT SER. SUPPORT/ Support/	SPT	FM 21-30, TOS DI = 0.73
3.18.3	COMBAT SER. SUPPORT/ Support/ .compat	(5)	TOS, BETA TEST BED
3.18.4	COMBAT SER. SUPPORT/ Support/ combat service	<u>[(55]</u>	BETA TEST BED
3.18.5	COMBAT SER. SUPPORT/ Support/ command	SPT	BETA TEST BED
3.18.6	COMBAT SER. SUPPORT/ Support/ corps	C05	TOS DI = 0.73
3.18.7	COMBAT SER. SUPPORT/ Support/ corps	<u> </u>	FM 21-30 DI = 4.78
3.18.8	COMBAT SER. SUPPORT/ Support/ general	G5	TOS
3.19.1	COMBAT SER. SUPPORT/ Rear Area Operations/ center	RACC	TOS

	CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
3.28.1	COMBAT SER. SUPPORT/ Service/	SVC	FM 21-30, TOS -
3.21.1	COMBAT SER. SUPPORT/ Supply/		FM 21-30 DI = 0.28
3.21.2	COMBAT SER. SUPPORT/ Supply/		NATO D-49(1988)
			note symbol 3.22.1 DI = 1.63
3.21.3	COMBAT SER. SUPPORT/ Supply/		TOS
	•		DI = 1.63
3.21.4	COMBAT SER. SUPPORT/ Supply/ class V		TOS
3.21.5	COMBAT SER. SUPPORT/ Supply/ and transportation	₩	TOS
3.22.1	COMBAT SER. SUPPORT/		BETA TEST BED
			DI = 1.63 note symbol 3.21.2
3.22.2	COMBAT SER. SUPPORT/ Trains/		FM 21-30
a aa .			DI = 2.13
3.23.1	COMBAT SER. SUPPORT/ Transportation/	\bigoplus	FM 21-30, NATO D-49(1980) , TOS, BETA TEST BED

	CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.1.1	INSTALLATIONS/ Ammunition/		FM 21-30, TCO =
			DI • 4.38
4.1.2	INSTALLATIONS/ Ammunition/		NATO D-49(1980)
			DI = 4.33
4.1.3	INSTALLATIONS/ Ammunition/		NATO D-49(1980)
	air defense		
4.1.4	INSTALLATIONS/ Ammunition/		NATO D-49(1982)
	air defense missiles		
4.1.5	INSTALLATIONS/ Ammunition/		NATO D-49(1982)
	anmouned		
4.1.6	INSTALLATIONS/ Ammunition/		FM 21-30
	artillery		
4.1.7	INSTALLATIONS/ Ammunition/		NATO D-49(1980)
	artillery gun		
4.1.8	INSTALLATIONS/ Ammunition/		NATO D-49(1988)
	artillery missile		
4.1.9	INSTALLATIONS/ Ammunition/		NATO D-49(1988)
:	artillery rocket		

4.1.10	INSTRLATIONS/ Ammunition/ aviation Air Force		FM 21-30, TCO - DI = 5.78
4.1.11	INSTALLATIONS/ Ammunition/ aviation Air Force		NATO D-49(1980) DI = 5.73
4.1.12	INSTALLATIONS/ Ammunition/ aviation Army		FM 21-30 DI = 5.78
4.1.13	INSTALLATIONS/ Ammunition/ aviation Army		NATO D-49(1982) DI = 5.73
4.1.14	INSTALLATIONS/ Ammunition/ conventional		FM 21-30, TCO
4.1.15	INSTALLATIONS/ Ammunition/ rocket and guided missile		FM 21-30, TCO
4.1.16	INSTALLATIONS/ Ammunition/ small arms		FM 21-30, TCO DI = 5.78
4.1.17	INSTALLATIONS/ Ammunition/ small arms		NATO D-49(1980) DI = 3.48
4.1.18	INSTALLATIONS/ Ammunition/ special	s	FM 21-30

SYMBOL

SOURCE AND REMARKS

CATEGORY/CONCEPT/

œ	RTEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.1.19	INSTRLLATIONS/ Ammunition/ storage	$\widehat{(\uparrow \uparrow)}$	BETA TEST BED
4.1.22	INSTALLATIONS/ Ammunition/ storage		TOS DI = 5.73
4.2.1	INSTALLATION/ Clothing/ class II	<u> </u>	FM 21-30 Letters B,E,F,M or T below symbol show subclassification
4.3.1	INSTALLATIONS/ Collecting Point/ civilian	CIV	FM 21-30, TCO
4.3.2	INSTALLATIONS/ Collecting Point/ maintenance	COL	FM 21-30, TCO
4.3.3	INSTALLATIONS/ Collecting Point/ prisoners of wer	PW	FM 21-30, TCO
4.3.4	INSTRLEATIONS/ Collecting Point/ salvage	SOLL	FM 21-30, TCO
4.3.5	INSTALLATIONS/ Collecting Point/ stragglers	S	FM 21-30, TCO
4.4.1	INSTALLATIONS/ Construction/		FM 21-30

	CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.4.2	INSTALLATIONS/ Construction/ bridging		NATO D-49(1982)-
4.4.3	INSTALLATIONS/ Construction/ bridging		BETA TEST BED
4.4.4	INSTALLATIONS/ Construction/ engineers		NATO D-49(1982)
4.5.1	INSTALLATIONS/ Decontamination/		NATO D-49(1980)
4.6.1	INSTALLATIONS/ Electronic/ air defense radar	$\overline{\bigcirc}$	NATO D-49(1980) see also COMMUNICATIONS
		\searrow	symbols
4.6.2	INSTALLATIONS/ Electronic/ artillery locating		NATO D-49(1980)
4.6.3	INSTALLATIONS/ Electronic/ emitting		NATO D-49(1980)
4.6.4	INSTALLATIONS/ Electronic/ electronic warfare	7	NATO D-49(1980)
4.6.5 !	INSTALLATIONS/ Electronic/ ground sensor surveillance		NATO D-49(1980)

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.6.6	INSTALLATIONS/ Electronic/ intercepting		NATO D-49(1988).
4.6.7	INSTALLATIONS/ Electronic/ jamming		NATO D-49(1982)
4.6.8	INSTALLATIONS/ Electronic/ signal communication		NATO D-49(1980)
4.6.9	INSTALLATIONS/ Electronic/ target designator	⊕	NATO D-49(1980)
4.6.10	INSTALLATIONS/ Electronic/ unknown		NATO D-49(1982)
4.7.1	INSTALLATIONS/ Food/	V C	NATO D-49(1980)
	F 000/		see also 4.20.1
4.8.1	INSTALLATIONS/ Fuel/		NATO D-49(1980)
	1 06 17	$\begin{pmatrix} Y \end{pmatrix}$	DI = 5.23
4.8.2	INSTALLATIONS/ Fuel/		BETA TEST BED
	ruei	(7)	DI • 5.23
4.8.3	INSTALLATIONS/ Fuel/		TOS
:	. Act.	(\bigcirc)	DI • 5.73

œ	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.8.4	INSTRLLATIONS/ Fuel/ aviation	\bigcirc	FM 21-30, TCO - DI = 6.68
4.8.5	Air Force INSTALLATIONS/ Fuel/		NATO D-49(1982)
	aviation Air Force	(\mathbb{A})	DI = 6.63
4.8.6	INSTALLATIONS/ Fuel/		FM 21-38
	aviation Air Force	(*)	inconsistent with 4.1.12 DI = 5.33
4.8.7	INSTALLATIONS/		NATO D-49(1982)
	aviation Army	(\mathbb{A})	DI = 6.63
4.8.8	INSTALLATIONS/ Fuel/ ground	$\overline{\gamma}$	FM 21-30, TCO
4.8.9	INSTALLATIONS/ Fuel/ solid		FM 21-30
4.9.1	INSTALLATIONS/ Maintenance/		NATO D-49(1982)
4.10.1	INSTALLATIONS/ Major End Items/		FM 21-30
4.11.1	INSTALLATIONS/		NATO D-49(1988)
į	, n, d 1 w 4 1 "	(+)	DI = 5.23

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
4.11.2	INSTALLATIONS/ Medical/	++	TOS
4.11.3	INSTALLATIONS/ Medical Supply/		Fm 21-30, TCO DI = 4.38
4.11.4	INSTALLATIONS/ Medical Supply/		TOS DI = 5.73
4.12.1	INSTALLATIONS/ Hospital/ or aid station		FM 21-30, TOS, TCO DI = 4.33
4.12.2	INSTALLATIONS/ Hospital/ or aid station		NATO D-49(1980) DI = 4.33
4.13.1	INSTALLATIONS/ Mines/ explosives	M	NATO D-49(1980)
4.14.1	INSTALLATIONS/ Missile Supply/		TCO, BETA TEST BED
4.15.1	INSTALLATIONS/ Multi-Class/ supply		FM 21-30, TCO classes available placed below symbol
4.15.2	INSTALLATIONS/ Multi-Class/ supply		TOS

α	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.15.3	INSTALLATIONS/ Multi-Class/ aviation supply		TOS = -
4.16.1	INSTALLATIONS/ Multirole/	LOG	NATO D-49(1980) also represents unspecified role
4.17.1	INSTALLATIONS/ Nuclear Storage/	(NU)	NATO D-49(1980)
4.18.1	INSTALLATIONS/ Ordnance/		TOS DI = 5.73
4.18.2	INSTALLATIONS/ Ordnance/	\bigcirc	NATO D-49(1980) DI = 6.18
4.19.1	INSTALLATIONS/ Personal Demand/ items	Y	FM 21-30
4.28.1	INSTALLATIONS/ Repair Parts/	**	FM 21-30
4.21.1	INSTALLATIONS/ Subsistence/		FM 21-30 subclassification shown with letters R, S, C below symbol
4.22.1	INSTALLATIONS/ Supply/		NATO D-49(1980)

CA	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.23.1	INSTALLATIONS/ Traffic Control/	\bigcirc	FM 21-30 -
4.23.2	INSTALLATIONS/ Traffic Control/	\bigcirc	NATO D-49(1980)
4.24.1	INSTALLATIONS/ Unknown Logistic/ installation		NATO D-49(1980)
4.25.1	INSTALLATIONS/ Water/	(+)	NATO D-49(1980)
5.1.1	MEASLE/ Communication/		DIVRAS
5.2.1	MERSLE/ Helicopter/		тсо
5.3.1	MERSLE/ Missile/ (SRM)		тсо
5.3.2	MERSLE/ Missile/ or rocket		DIVRAS
5.4.1	MERSLE/ Radar/	a	DIVRAS

•	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
5.4.2	MERSLE/ ·Radar/		TCO, BETA TEST BED
5.5.1	MERSLE/ Radio/	\	TCO, BETA TEST BED
5.6.1	MERSLE/ Shooter/	· ↑	TCO, BETA TEST BED
5.6.2	MERSLE/ Shooter/		DIVRAS
5.7.1	MERSLE/ Vehicle/ tracked		TCO, BETA TEST BED, DIVRAS
5.7.2	MERSLE/ Vehicle/ wheeled	\Diamond	BETA TEST BED
5.7.3	MERSLE/ Vehicle/ wheeled		TCO
6.1.1	ACTIVITY/ Action/		DIVRAS
	threat force advancing	4	Numerals indicate count of manuever battalion
6.1.2	ACTIVITY/ Action/ delaying, enemy		NATO D-49(1980)

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
6.1.3	ACTIVITY/ Action/ delaying friend		NATO D-49(1980) - non-static
6.1.4	ACTIVITY/ Action/ direction enemy	EZ	NATO D-49(1980) non-static
6.1.5	ACTIVITY/ Action/ direction friend		NATO D-49
6.1.6	ACTIVITY/ Action/ blocked	4	DIVRAS numerals indicate count of manuever battalion
6.1.7	ACTIVITY/ Action/ ambush	$\stackrel{\tiny \bigcirc}{=} \rightarrow$	TCO, FM 21-30 Point of arrow at map location.
6.1.8	ACTIVITY/ Action/ firefights	→ ←	TCO, FM 21-30 point of arrow at map location
6.1.9	ACTIVITY/ Action/ harrassing fire		TCO, FM 21-30 point of last arrow at map location
6.2.1	ACTIVITY/ Bridging/ enemy		TOS
6.3.1	ACTIVITY/ Ferrying/ enemy	>	TOS

Q.	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
6.4.1	ACTIVITY/ Movement/	٨	TCO, FM 21-38 -
-	1 Decire 11 C		soild arrow=unit position broken arrow=possible mumt.
6.4.2	ACTIVITY/ Movement/		NATO D-49(1980)
	air force friendly		non-static
6.4.3	ACTIVITY/		NATO D-49(1988)
	Movement/ army air friendly		non-static
6.4.4	ACTIVITY		NATO D-49(1988)
	Movement/ air, enemy	EN ~	Symbol in center of arrow line indicates unit type.
6.4.5	ACTIVITY		NATO D-49 (1980)
	Movement/ ground		non-static
6.4.6	ACTIVITY/		NATO D-49(1980)
	Movement/ reconnaissance		non-static
6.5.1	ACTIVITY		NATO D-49(1982)
	Formation/ artillery		static
6.5.2	ACTIVITY/	5 .45.	NATO D-49(1982),
	Formation/ defense enemy	\ D\^D\	static
6.5.3	ACTIVITY/		NATO D-49(1982)
:	Formation/ defense friend		static

CA	ITEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
6.5.4	ACTIVITY/ Formation/ reserve stationary		DIVRAS
6.5.5	ACTIVITY/		DIVRAS
	Formation/ blocking	2	numeral indicates amount of force
6.6.1	ACTIVITY/		TCO, FM 21-30
	Destroyed/	\times	superimposed over referred symbol
6.7.1	ACTIVITY/	^	TCO, FM 21-30
	Phoney/		normally placed over referred symbol
6.8.1	ACTIVITY/	_	TCO, FM 21-30
	Propoganda/		mouthpiece of megaphone at map location
6.9.1	ACTIVITY/ Reconnaissance/		NATO D-49(1988)
	area	, , , , , , , , , , , , , , , , , , ,	static
6.10.1	ACTIVITY/ Responsibility/ arc of		TOS
6.11.1	ACTIVITY/ Snorkeling/		TOS
7.1.1	COMMUNICATION/ Emit/ Emitting		NATO D-49(1990)

a	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
7.1.2	COMMUNICATION/ Emit/ Emitters		DIVRAS
7.1.3	COMMUNICATION/ Emit/		DIVRAS
	emitter - radar		see also Radar
7.2.1	COMMUNICATION/ Message Center/	1	FM 21-30
7.3.1	COMMUNICATION/ Signal/;	IMSG CEN	CPS
7.3.2	COMMUNICATION/ Signal/	SIG ZO CEN	FM 21-30
	center signal area	ROBO 12	sig. ctr. not at CP post or HQ (unit code inside circle)
7.3.3	COMMUNICATION/ Signal/		FM 21-30
	center	ŒN	see also INSTALLATIONS, Electronic (4.6)
7.3.4	COMMUNICATION/ Signal/ communication		NATO D-49(1982)
7.4.1	COMMUNICATION/ Commo Site/		BETA TEST BED
7.5.1	COMMUNICATION/ Jamming/		NATO D-49(1988)
•		\bigvee	

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
7.5.2	COMMUNICATION/ Jamming/ communication	~~~	TCO, FM 21-30
7.5.3	COMMUNICATION/ Jamming/ radar	() ×	TCO
7.5.4	COMMUNICATION/ Jamming/ surface	****	TCO, BETA TEST BED
7.6.1	COMMUNICATION/ Radar/ antenna	5	BETA TEST BED
7.6.2	COMMUNICATION		BETA TEST BED, DIVRAS
	Radar/	(~	letters placed below symbol indicate type ie AD, GCI
7.6.3	COMMUNICATION/ Radar/	8	NATO D-49(1980)
7.6.4	COMMUNICATION/ Radar/	\	CPS
7.6.5	COMMUNICATION/ Radar/ fan	X THI	CPS
7.6.6	COMMUNICATION/ Radar/ intercept and DF station	y (→	TCO

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
7.6.7	COMMUNICATION/ Radar/ station	<u> </u>	TCO, FM 21-30
		\subset	letters placed below symbol indicate type
7.6.8	COMMUNICATION/ Radar/ sitė — enemy	N	AF E-3A PPI
7.6.9	COMMUNICATION/ Radar/ site - friendly	\supset	AF E-3A PPI
7.6.11	COMMUNICATION/ Radar/ ; air defense		NATO D-49(1980)
7.6.12	COMMUNICATION/ Radar/ artillery locating		NATO D-49(1980)
7.6.13	COMMUNICATION/ Radar/ electronic warfare	7	NATO D-49(1982)
7.6.14	COMMUNICATION/ Radar/ electronic warfare below 5,000 ft.		AFR 55-25
7.6.15	COMMUNICATION/ Radar/ electronic warfare above 5,000 ft.		AFR 55-25
7.6.16	COMMUNICATION/ Radar/ GCS below 5,000 ft.		AFR 55-25

CF	ATEGORY/CONCEPT/	SYMBOL.	SOURCE AND REMARKS
7.6.17	COMMUNICATION/ Radar/ GCS above 5,000 ft.	0000	AFR 55-25
7.6.18	COMMUNICATION/ Radar/ intercept		NATO D-49(1980)
7.6.19	COMMUNICATION/ Radar/ ground sensor surveillance		NATO D-49(1982)
7.6.20	COMMUNICATION/ Radar/ sensor commandable	\downarrow	тсо
7.6.21	COMMUNICATION/ Radar/ sensor monitor station	\\\\	TCO
7.6.22	COMMUNICATION/ Radar/ sensor monitor receiving only	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	TCO
7.6.23	COMMUNICATION	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	тсо
	Radar/ sensor monitor with mast antenna	, in the second	extended range receiving & controlling capabilities
7.6.24	COMMUNICATION/ Radar/ sensor relay station	¥	TCO
7.6.25	COMMUNICATION/ Radar/ sensor systems	40°	TCO
		(sector of scan)	

C	ATEGORY/CONCEPT/	SYMBOL.	SOURCE AND REMARKS
7.7.1	COMMUNICATION/ Radio/		BETA TEST BED
7.7.2	COMMUNICATION/ Radio/ direction finder station		FM 21-30, TCO
7.7.3	COMMUNICATION/ Radio/ intercept/ monitoring station		FM 21-30, TCO
7.7.4	COMMUNICATION/		FM 21-30, TCO
	Radio/ ; multi channel radio terminal		number of channels indicated between vertical lines
7.7.5	COMMUNICATION/ Radio/ relay station	٦ O	FM 21-30, TCO
7.7.6	COMMUNICATION/ Radio/ wireless station	\\\	FM 21-30, TCO
7.7.7	COMMUNICATION/ Radio/ wireless station/ dummy		FM 21-30, TCO
7.7.8	COMMUNICATION/ Radio/ wire integration station, FM	~~ ^	FM 21-30
7.8.1	COMMUNICATION/ Telephone/	\bigcirc	FM 21-30

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
7.8.2	COMMUNICATION/ Telephone/ center - not		FM 21-30 not at a headquarters or
	headquarter	4	headquarters echelon
7.8.3	COMMUNICATION/ Telephone/ center headquarter		FM 21-30
7.8.4	COMMUNICATION/ Telephone/ facsimile apparatus	7	FM 21-30
7.8.5	COMMUNICATION/ Telephone/ multi channel cable		FM 21-30
7.8.6	COMMUNICATION/ Telephone/		FM 21-30
	wire circuit	— z —	numeral indicates number of pairs available
7.9.1	COMMUNICATION/ Teleprinter/ center	FAX	FM 21-30
7.9.2	COMMUNICATION/ Teleprinter/ or teletypewriter apparatus	+	FM 21-30
7.10.1	COMMUNICATION/ Television/		FM 21-30
7.11.1	COMMUNICATION/ ADP Central/	ADPC	FM 21-30

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
7.12.1	COMMUNICATION/ Elec. Navig. Aid/	***	тсо
7.13.1	COMMUNICATION/ Microphones/		FM 21-30
7.14.1	COMMUNICATION/ Target Designator/		NATO D-49(1980)
	ia get sesignators	(0)	e.g. laser, infra-red
7.15.1	COMMUNICATION/ Visual Station/	Ŏ.	FM 21-38
8.1.1	NUCLEAR BIO CHEM/ Bio or Chem Event/	п	NATO D-49(1980)
	BIO OF CHEM EVERTO		basic symbol
8.1.2	NUCLEAR BIO CHEM/ Bio or Chem Event/ enemy	<u></u>	NATO D-49(1980)
8.1.3	NUCLEAR BIO CHEM/ Bio or Chem Event/ enemy - suspected		NATO D-49(1980)
8.2.1	NUCLEAR BIO CHEM/ Contamination/ bio or chem		FM 21-30
8.2.2	NUCLEAR BIO CHEM/ Contamination/ chemical		FM 101-5-1

CF	RTEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
8.3.1	NUCLEAR BIO CHEM/ Decontamination/ area = enemy	200	TOS
8.4.1	NUCLEAR BIO CHEM/ Nuclear/	57	AF E-3A PPI
8.4.2	NUCLEAR BIO CHEM		TCO, FM 21-30
	Nuclear/ explosion - enemy		Double line on top is used if red is not available.
8.4.3	NUCLEAR BIO CHEM/ Nuclear/ enemy		NATO D-49(1982)
8.4.4	NUCLEAR BIO CHEM/ Nuclear/ enemy - suspected		NATO D-49(1980)
8.4.5	NUCLEAR BIO CHEM/ Nuclear/ enemy		CPS CPS
8.4.6	NUCLEAR BIO CHEM		FM 21-30, TCO
	Nuclear/ friend	\bigvee	Stem indicates position of ground zero.
8.4.7	NUCLEAR BIO CHEM/ Nuclear/ friend		NATO D-49(1982)
8.4.8	NUCLEAR BIO CHEM/ Nuclear/ friend, planned		NATO D-49(1980)

œ	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
8.4.9	NUCLEAR BIO CHEM/ Nuclear/ fallout producing		FM 21-30, TCO
8.4.10	NUCLEAR BIO CHEM/ Nuclear/ proposed	<u>ر</u>	FM 21-30, TCO
8.4.11	NUCLEAR BIO CHEMY Nuclear/ sighting		MIFASS
8.5.1	NUCLEAR BIO CHEM/ Radioactive Area/	228790	FM 21-30
	Madioactive Hiea	V 11382FEB A	Times of BF and EF are shown in circle.
8.6.1	NUCLEAR BIO CHEM/ Targets/ special weapons		TCO
9.1.1	OBSTACLES AND FORT/ Booby Trap/		FM 21-30, TCO
9.1.2	OBSTACLES AND FORT/ Booby Trap/ trip wire	+	FM 21-30, TCO, TOS
9.2.1	OBSTACLES AND FORT/ Bridge/	<u></u>	TOS
9.2.2	OBSTACLES AND FORT/ Bridge/ bridging		DIVRAS

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
9.3.1	OBSTROLES AND FORT/ Demolition/ demolished area	###	FM 21-30
9.3.2	OBSTACLES AND FORT/ Demolition/ planned		NATO D-49(1982)
9.3.3	OBSTACLES AND FORT/ Demolition/ prepared state 1		NATO D-49(1980)
9.3.4	OBSTACLES AND FORT/ Demolition/ prepared state 2		NATO D-49(1982)
9.3.5	OBSTACLES AND FORT/ Demolition/ fired		NATO D-49(1982)
9.4.1	OBSTACLES AND FORT/ Fence/ concertina multiple	llll	FM 21-30
9.4.2	OBSTACLES AND FORT/ Fence/		FM 21-30
	double	\times	If green, use. Else label with wire
9.4.3	OBSTACLES AND FORT/ Fence/		FM 21-30
	double apron	}}}}	If green, use. Else label with wire.
9.4.4	OBSTACLES AND FORT/ Fence/ high wire		FM 21-30

CF	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
9.4.5	OBSTACLES AND FORT/ Fence/ low wire	XXXXXX	FM 21-38
9.4.6	OBSTACLES AND FORT/ Fence/ single	XXX	FM 21-30 If green, use. Else label with wire.
9.5.1	OBSTACLES AND FORT/ Wire/ concertina, single	llll	FM 21-30
9.5.2	OBSTACLES AND FORT/ Wire/ , concertina, multiple	2222	FM 21-30
9.5.3	OBSTACLES AND FORT/ Wire/ type unspecified		FM 21-30
9.6.1	OBSTACLES AND FORT/ Mines/ belt of 400 anti- tank mines with gap	● ★ • • • • • • • • • •	FM 21-30
9.6.2	OBSTACLES AND FORT/ Mines/ belt of 400 antitank mines with lane	400 • X • X •	FM 21-30 def: lane, clear rte through obstacle, normally 8m wide.
9.5.3	OBSTACLES AND FORT/ Mines/ antipersonnel		TCO, FM 21-38
9.6.4	OBSTACLES AND FORT/ Mines/ antipersonnel, row	***	FM 21-30

CF	ITEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
9.6.5	OBSTACLES AND FORT/ Mines/ connected to trip wire, antipersonnel	to	FM 21-30
9.6.6	OBSTACLES AND FORT/ Mines/ antipersonnel, field	\bigotimes	NATO D-49(1982)
9.6.7	OBSTROLES AND FORT/ Mines/ antitank	•	FM 21-30
9.6.8	OBSTACLES AND FORT/ Mines/ antitank	0	TCO
9.6.9	OBSTRCLES AND FORT/ Mines/ antitank, minefield		NATO D-49(1980)
9.6.10	OBSTACLES AND FORT/ Mines/ antitank, field of 600	680	FM 21-30
9.6.11	OBSTACLES AND FORT/ Mines/ antitank, row		FM 21-30
9.6.12	OBSTACLES AND FORT/ Mines/ antitank, booby trapped	-	TCO
9.6.13	OBSTACLES AND FORT/ Mines/ antitank, booby trapped	+	FM 21-30

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
9.6.14	OBSTACLES AND FORT/ Mines/ antitank, double	③	FM 21-38
9.6.15	OBSTACLES AND FORT/ Mines/ antitank, double, booby trapped	©	FM 21-30
9.6.16	OBSTACLES AND FORT/ Mines/ antitank, field, unfenced	M	FM 21-30 boundaries
9.6.17	OBSTACLES AND FORT/ Mines/ minefield, belt	+XXXX +	N9TO D-49(1982)
9.6.18	OBSTACLES AND FORT/ Mines/ minefield		TOS
9.6.19	OBSTACLES AND FORT/ Mines/ cluster	400	FM 21-30 number = total no. of mines boundaries = extent of field
9.6.28	OBSTACLES AND FORT/ Mines/ mixed field		NATO D-49(1980) impassable to all
9.6.21	OBSTACLES AND FORT/ Mines/ field obstacle		DIVRAS green
9.6.22	OBSTACLES AND FORT/ Mines/ minefield, phoney	P	NATO D-49(1980)

a	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
9.6.23	OBSTACLES AND FORT/ Mines/ minefield, scattered		NATO D-49(1988)
9.6.24	OBSTACLES AND FORT/ Mines/ toxic agent	G	TCO
9.6. <i>2</i> 5	OBSTACLES AND FORT/ Mines/ undefined field		NATO D-49(1988)
9.6.26	OBSTACLES AND FORT/ Mines/ unknown	Φ	TCO, FM 21-30
9.6. <i>2</i> 7	OBSTACLES AND FORT/ Mines/ unknown, unfenced	м Ф м	FM 21-30
9.7.1	OBSTACLES AND FORT/ Obstacle/ aircraft or anti-airborne	W->	TCO, FM 21-30
9.7.2	OBSTACLES AND FORT/ Obstacle/)/// //// ////	DIVRAS green
9.7.3	OBSTACLES AND FORT/ Obstacle/ cratered (impassable to all vehicles)	00	NATO D-49(1980)
9.7.4	OBSTACLES AND FORT/ Obstacle/ cratered (impass to wh weh, not tr weh)	00	NATO D-49(1980)

(CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
9.7.5	OBSTACLES AND FORT/ Obstacle/ roadblocks, craters and blown bridges		FM 21-30 center of symbol indicates the position of the block
9.7.6	OBSTACLES AND FORT/ Obstacle/ proposed		FM 21-30, TCO
9.7.7	OBSTROLES AND FORT/ Obstacle/ prepared but passable		FM 21-30, TCO
9.7.8	OBSTACLES AND FORT/ Obstacle/ completed		FM 21-30, TCO
9.7.9	OBSTACLES AND FORT/ Obstacle/ tank/bank		FM 21-30
9.7.10	OBSTACLES AND FORT/ Obstacle/ tank/ditch		FM 21-30
9.7.11	OBSTRCLES AND FORT/ Obstacle/ tank/ditch covered		FM 21-30
9.7.12	OBSTACLES AND FORT/ Obstacle/	××	FM 21-30
	tank/ditch, wall and stakes		These syms may be combined to show obst of more than 1 type
9.7.13	OBSTACLES AND FORT/ Obstacle/ tank, unspecified	→	FM 21-30

CA	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
9.7.14	OBSTACLES AND FORT/ Obstacle/		FM 21-38
	underwater		color: blue
9.7.15	OBSTACLES AND FORT/ Obstacle/	(P)	FM 21-38
	underwater inundation		color: blue
9.7.16	OBSTACLES AND FORT/ Obstacle/		FM 21-30
	tetrahedron, dragons teeth fixed		
9.7.17	OBSTACLES AND FORT/ Obstacle/		FM 21-38
	tetrahedon, teeth fixed and prefab		
9.7.18	OBSTACLES AND FORT/ Obstacle/		FM 21-38
	tetrahedron, teeth movable	^	
9.7.19	OBSTACLES AND FORT/ Obstacle/	•	FM 21-38
	tetrahedron, teeth movable and prefab	\triangle	
9.7.20	OBSTACLES AND FORT/ Obstacle/	10	FM 21-30
	tetrahedron, teeth and similar obst		No.'s between denote no. of obstacles and no. of rows.
9.8.1	OBSTACLES AND FORT/		DIVRAS
	railroad	////	green
9.8.2	OBSTACLES AND FORT/ Tracks/		FM 21-38
	rails and stakes or similar obstacles		

	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
9.9.1	OBSTACLES AND FORT/ Vegetation/ swamp or marsh		DIVRRS green
9.9.2	OBSTACLES AND FORT/ Vegetation/	ϕ_{λ}	DIVRAS
9.10.1	OBSTACLES AND FORT/ Toxic Agent/	но Чо Чо Чо Чо Чо Чо Чо Но Но Но Но Но Но Но Но Но Н	FM 21-38
		TO VV.V ND	type shown on outside of symbol
9.11.1	OBSTACLES AND FORT/ Trenches/ dug-out	7	FM 21-30
9.11.2	OBSTROLES AND FORT/ Trenches/ fortified	X	FM 21-30
9.11.3	OBSTACLES AND FORT/ Trenches/ fortified area		FM 21-30
9.11.4	OBSTACLES AND FORT/ Trenches/ foxhole, weapons, implacement		TCO
9.11.5	OBSTACLES AND FORT/ Trenches/ pillbox or casement		TCO, FM 21-30
9.11.6	OBSTACLES AND FORT/	. 1 .	FM 21-30
	Trenches/ surface strong point	\rightarrow	may be combined with unit size symbol

C	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
9.11.7	OBSTACLES AND FORT/ Trenches/ shelter surface (above ground)		FM 21-30
9.11.8	OBSTACLES AND FORT/ Trenches/ shelter underground		FM 21-30
9.11.9	OBSTROLES AND FORT/ Trenches/ any trench system		FM 21-30
9.11.10	OBSTACLES AND FORT/ Trenches/ trench with firing bays		FM 21-30
9.11.11	OBSTACLES AND FORT/ Trenches/		FM 21-30
	weapon slit, foxhole or emplacement		Other symbols and numbers may be added.
9.12.1	OBSTACLES AND FORT/ Zone/ air attack		DIVRAS
9.12.2	OBSTACLES AND FORT/ Zone/ antillery fire	ひ ひ ひ	DIVRAS
10.1.1	VEHICLES/ Amphibious/		FM 21-30
	armoured	(SS)	body type
10.1.2	VEHICLES/ Amphibious/ light assault wheeled		тсо

C	CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
10.1.3	VEHICLES/ Amphibious/ cargo	<u> </u>	FM 21-30 body type
10.2.1	VEHICLES/ Animal/	$\wedge \wedge$	FM 21-30 means of mobility
10.3.1	VEHICLES/ Armoured/ assault gun - light		FM 21-30, TCO
10.3.2	VEHICLES/ Armoured/, assault gun - medium		FM 21-30, TCO
10.3.3	VEHICLES/ Armoured/ assault gun - heavy		FM 21-30, TCO
10.3.4	VEHICLES/ Anmoured/ personnel carrier		NATO D-49(1990)
10.3.5	VEHICLES/ Armoured/ personnel carrier light	\Diamond	TCO , FM 21-30
10.3.6	VEHICLES/ Armoured/ personnel carrier medium		TCO, FM 21-30
10.3.7	VEHICLES/ Armoured/ personnel carrier heavy	igoplus	TCO, FM 21-30

œ	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
10.3.8	VEHICLES/ Armoured/ reconnaissance vehicle, light	\Diamond	FM 21-30, TCO
10.3.9	VEHICLES/ Armoured/ reconnaissance vehicle, medium	\Diamond	FM 21-30, TCO
10.3.10	VEHICLES/ Armoured/ reconnaissance vehicle, heavy		FM 21-30, TCO
10.4.1	VEHICLES/ Boat/		TCO, FM 21-30
	or barge		means of mobility
10.5.1	VEHICLES/ C-Cube/	C-3	BETA TEST BED
10.6.1	VEHICLES/ Cargo/ wheeled vehicle		тсо
10.7.1	VEHICLES/ Engine/		FM 21-30
	locomotive		body types
10.8.1	VEHICLES/ Ferry/	F	TCO
10.9.1	VEHICLES/ Howercraft/	igorplus	NATO D-49(1980)

CA.	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
10.10.1	VEHICLES/	6372040	CDEC-VIDS
	threat vehicle 73mm		armval
10.11.1	VEHICLES/ Landing Vehicle/ TC ;	(CE)	тсо
10.11.12	VEHICLES/ Landing Vehicle/ TE		rco
10.11.13	VEHICLES/ Landing Vehicle/ TP	Š	тсо
10.11.14	VEHICLES/ Landing Vehicle/ TR		TCO
10.12.1	VEHICLES/ MICV/		NATO D-49(1980)
10.13.1	VEHICLES/ Marine/		CDEC-VIDS
	surrogate, LCV		armval
10.14.1	VZHICLES/ Operational/		FM 21-30
	armoured		body types (see also 12.23.2 and 12.26.1)
10.14.2	VEHICLES/ Operational/		FM 21-30
	unarmoured		body types

CA	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
10.15.1	VEHICLES/ Over-snow/		FM 21-38
	Over -snow		means of mobility
10.16.1	VEHICLES/ Personnel/		FM 21-30
	and/or cargo carrying		body types see also 10.26.2
10.17.1	VEHICLES/ Railway/		FM 21-30
		00 00	means of mobility
10.18.1	VEHICLES/ Reconnaissance/	$\overset{\triangle}{\nabla}$	BETA TEST BED
10.18.2	VEHICLES/		CDEC-VIDS
	Reconnaissance/ threat BRDM		armval
10.18.3	VEHICLES/ Reconnaissance/	\Diamond	NATO D-49(1980)
10.19.1	VEHICLES/ Ship/ Navy		NATO D-49(1980)
10.20.1	VEHICLES/		FM 21-38
	Sledge/sled/ towed		means of mobility
10.21.1	VEHICLES/ Submarine/		NATO D-49(1980)

CA	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
10.22.1	VEHICLES/ Tank/ XY-1		CDEC-VIDS
10.22.2	VEHICLES/ Tank/ light		NATO D-49(1982), FM 21-38 TCO, BETA TEST BED
10.22.3	VEHICLES/ Tank/ medium		NATO D-49(1980), FM 21-30 TCO, BETR TEST BED
10.22.4	VEHICLES/ Tank/ heavy		NATO D-49(1960), FM 21-90 TCO, BETA TEST BED
10.23.1	VEHIOLES/ Tracked/ self-propelled	\Diamond	FM 21-38 means of mobility
10.23.2	VZHIOLES/ Tracked/ or half-tracked		FM 21-30 means of mobility
10.24.1	VEHICLES/ Train/		BETA TEST BED
10.25.1	V9-IGLES/ Wheeled/	ō	FM 21-30 means of mobility
19.25.2	VEHICLES/ Wheeled/ cross country	0 0 0	FM 21-38 means of mobility

CA	TEGORY/CONCEPT/	SYMBOL	Source and remarks
10.25.3	VEHICLES/ Wheeled/ self-propelled	0 0 0	FM 21-30 means of mobility
10.26.1	VEHICLES/ Unspecified/ armoured		NATO D-49(1980) see also 10.23.2
10.26.2	VEHICLES/ Unspecified/ unprotected		NATO D-49(1980) see also 10.16.1
10.27.1	VEHICLES/ Vehicles/		BETA TEST BED
10.27.2	VEHICLES/ Surface/		PLRS
11.1.1	WEAPON/ Artillery/	111	MIFASS target symbol
11.1.2	WEAPON/ Artillery/ light or unknown		BETA TEST BED, TOS
11.1.3	WEAPON/ Artillery/ medium	+	BETA TEST BED, TOS
11.1.4	WEAPON/ Artillery/ heavy	H	BETA TEST BED, TOS

C	PATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.1.5	WEAPON/ Artillery/ D/S	A	MIFASS
11.1.6	HZAPON/ Artillery/ G/S	-(A)-	MIFASS
11.1.7	WZAPON∕ Antilleny∕	1 1	BETA TEST BED
11.1.8	KEAPONV Antzilenyv	 	BETA TEST BED
11.1.9	WEAPON/ Antillery/	Ħ	BETA TEST BED
11.1.10	WEAPON/ Antilieny/ air defense		AFR 55-25 L. M or H may be placed below to specify it, med or hy AAA.
11.1.11	Antilieng/ air defense		MIFASS target symbol
11.1.12	Artillery/ air defense		TOS see also Gun
11.1.13	WEAPON/ Artillery/ air defense/ light or unknown		BETA TEST BED

CA'	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.1.14	WERPON/ Artillery/ air defense/medium	#	BETA TEST BED
11.1.15	WEAPON/ Artillery/ air defense/heavy	典	BETA TEST BED
11.1.16	WEAPON/ Artillery/		BETA TEST BED
11.1.17	WEAPON/ Artillery/	> ±	BETA TEST BED
11.1.18	WEAPON/ Artillery/	> 世令	BETA TEST BED
11.2.1	WEAPON/ Flame Thrower/ portable		FM 21-30, NATO D-49(1980) , TCO
11.2.2	WEAPON/ Flame Thrower/ vehicle mounted	-	FM 21-30, NATO D-49(1980) , TCO
11.3.1	WECPON/ Gun/ howitzer, light	1 1	FM 21-30, NATO D-49(1980) , TCO, TOS
11.3.2	WEAPON/ Gun/ howitzer, medium	Н	FM 21-30, NATO D-49(1980) , TCO, TOS

C	CATEGORY/CONCEPT/	SYMBOL	Source and remarks
11.3.3	WEAPON/ Gun/ howitzer, heavy	中	FM 21-38, NATO D-49(1980), TCO, TOS
11.3.4	WESPON/ Howitzer/ light		FM 21-30, TOS, TCO
11.3.5	WEAPON/ Howitzer/ medium	+	FM 21-30, TOS, TCO
11.3.6	WEAPON/ Howitzen/ heavy	H	FM 21-38, TOS, TCO
11.3.7	WEAPON/ Gun/ SP/light		тсо
11.3.8	LEAPON/ Gun/ SP/medium		тсо
11.3.9	WERPON/ Gun/ SP/heavy	↓	тсо
11.3.10	WEAPON/ Howitzer/ SP/122mm light		TOS, TCO
11.3.11	WEGPON/ Howitzer/ SP/155mm medium	· Ho	TOS, TCO

САТЕ	GORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
_ S	EAPON/ owitzer/ P/180mm-203mm eavy	₩00	TOS, TCO
-	EAPON/ un/ ir defense/light		FM 21-30, NATO D-49(1980) , TCO
	EAPON/ un/ ir defense/medium	H	FM 21-30, NATO D-49(1980) , TCO
	EPPON/ un/ ir defense/heavy	- #-0	FM 21-30, TCO
a	EAPON/ un/ ir defense rtillery/low		TOS
a	EAPON/ un/ ir defense rtillery/md, S-60	+	TOS
a	EAPON/ un/ ir defense rtillery/high	#	TOS
a	EAPON/ un/ ir defense/ achine, light	$\stackrel{\wedge}{\sqsubseteq}$	FM 21-30, TCO
: a:	EAPON/ un/ ir defense/ achine, medium	$\stackrel{+}{\Box}$	FM 21-30, TCO

Cr	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.3.21	SCARN/ Gun/ air defense/ machine, heavy	Ê	FM 21-30, TCO]
11.3.22	WEAPON/ Gun/ air defense/ SP, light		ТСО
11.3.23	WEAPON/ Gun/ Fin defense/ E ^{rg} , medium		TCC
11.3.24	Gun/ Sun defense/ SP, heavy		TCO
11.3.25	WEAFON/ Gun/ air defense/ Souret-ZSU		CDEC-VIDS armual test
11.3.28	SEAPON/ Gun/ air dofense/ auviet-251-234		CDEC-VIDS annwal test
11.3.27	k@grort/ Gun/ ain defense/ Sovies-ZSU	D-2222	CDEC-VIDS annual test
11.0.28	kEAPON/ Gun/ wir defense/ 254-wilcan		TOS
į	WERPON/ Gun/ air defense/ chaparrel-vulcan		TOS

C	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
11.3.30 -	WEAPON/ Gun/ anti-tank/light		TOS -
11.3.31	WEAPON/ Gun/ anti-tank/light	↑	NATO D-49(1980), TCO
11.3.32	WEAPON/ Gun/ anti-tank/medium	\uparrow	NATO D-49(1980), TCO
11.3.33	WEAPON/ Gun/ anti-tank/heavy	‡	NATO D-49(1988), TCO
11.3.34	WEAPON/ Gun/ anti-tank role/ light	I <u></u>	FM 21-30, NATO D-49(1980) , BETA TEST BED
11.3.35	WEAPON/ Gun/ anti-tank role/ medium	#	FM 21-30, NATO D-49(1980) , BETA TEST BED
11.3.36	WEAPON/ Gun/ anti-tank role/ heavy	中	FM 21-30, NATO D-49(1980) , BETA TEST BED
11.3.37	WEAPON/ Gun/ anti-tank, SP/ light or unknown	1 l	BETA TEST BED
11.3.38	WEOPON/ Gun/ anti-tank, SP/ medium	Ť	BETA TEST BED

QF	ITEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.3.39	WEAPON/ Gun/ anti-tank, heavy	长	BETA TEST BED :
11.4.1	WZAPON∕ Missile∕ light		FM 21-30, TCO, MIFASS
11.4.2	WEAPON/ Missile/ medium		FM 21-30, TCO see also Rocket
11.4.3	LEAPON/ Missile/ heavy		FM 21-30, TCO see also Rocket
11.4.4	WEAPON/ Missile/ air defense light		กา 21-38
11.4.5	_		FM 21-38
11.4.6	WESPON/ Missile/ air defense heavy		FM 21-30
11.4.7	WESPON/ Missile/ surface to air light		NATO D-49(1980)
11.4.8	WEAPON/ Missile/ surface to air medium		NATO D-49(1990)

CA	TEGORY/CONCEPT/	SYMBOL.	Source and remarks
11.4.9	WEAPON/ Missile/ surface to air heavy	<u> </u>	NATO D-49(1990)
11.4.10	WEAPON/ Missile/ surface to air light		TCO
11.4.11	WEAPON/ Missile/ surface to air medium	$\widehat{\mathbb{H}}$	TCO
11.4.12	WEAPON/ Missile/ surface to air heavy	(A)	TCO
11.4.13	WEAPON/ Missile/ surface to air, SP light		TCO
11.4.14	WEAPON/ Missile/ surface to air	À	TCO
11.4.15	WEAPON/ Missile/ surface to air		тсо
11.4.16	HEAPON/	_ `_	CDEC-VIDS
	Missile/ surface to air/ enemy	-	NTC test
11.4.17	WEAPON/ Missile/		CDEC-VIDS
!	surface to air/ friendly		NTC test

œ	HEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.4.18	weapon/		BETA TEST BED [
 '	Missile/	\triangle	
-	surface to air unknown	144	numerals placed beneath show size. No numerals mean unk.
11.4.19	WEAPON/		FM 21-30, TOS
	Missile/ surface to air	AM .	
	light	1111	
	•	' ' '	
11.4.20	WZRPON/ Missile/	\sim	FM 21-30, TOS
	surface to air		
	medium		
11.4.21	NEAPON/		FM 21-30, TOS
	Missile/	α	22 00, 100
	surface to air		
	heavy	1) 1 1	•
11.4.22	WEAPON/		TOS
	Missile/ surface to air		
	chaparnai		
44 4 50	,	♦	
11.4.23	WEAPON/ Missile/	(a	AFR 55-25
	sunface to air/	(🛊)	
	chaparral-vulcan	A	
11.4.24	WEAPON	\sim	TOS
	Missile/		
	surface to air		
11.4.25	LISCOONIZ	♦	AF E-3A PPI
11.4.53	Missile/		Hr E-3H FF1
	surface to air		
	enemy) (
11.4.26	WEAPON/		AF E-3A PPI
	Missile/	\wedge	
i	surface to air friendly		
	TI TEHUTY	$\angle \Delta$	

A PARTY

CATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.4.27 WEAPON/ Missile/ surface to surface light or unknown		FM 21-30, BETA TEST BED, TOS , NATO D-49(1980)
11.4.28 WEAPON/ Missile/ surface to surface medium	到	FM 21-30, BETA TEST BED, TOS , NATO D-49(1980)
11.4.29 WEAPON/ Missile/ surface to surface heavy	#	FM 21-30, BETA TEST BED, TOS , NATO D-49(1980)
11.4.30 WEAPON/ Missile/ surface to surface wheeled, light		TCO .
11.4.31 WEAPON/ Missile/ surface to surface wheeled, medium		TCO
11.4.32 WEAPON/ Missile/ surface to surface wheeled, heavy	\sim	TCO
11.4.33 WEAPON/ Missile/ surface to surface		TCO
11.4.34 WEAPON/ Missile/ surface to surface		TCO
11.4.35 WEAPON/ Missile/ surface to surface		TCO

CA	ITEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.4.36	MISSIE/ anti-tank		NATO D-49(1992)
11.4.37	MISPON/ Missile/ anti-tank light		TOS
11.4.36	LEAPON/ Missile/ anti-tank light		FM 21-30, TCO
11.4.39	KEAPON/ hussile/ anti-tank medium	$\widehat{\mathbb{H}}$	FM 21-30, TCO
11.4.40	wispowy Missile/ anti-tank neavy	A	FM 21-30, TCO
11.4.41	WEAPORY Missile/ enti-vank SP/gd	□	BETA TEST BED
11.4.42	MISSILE/ Shrittank SP, light		TCO
11.4.43	Missile/ unti-tank SP, medium) (A)	тсо
11.4.44	WERPON/ Missile/ anti-tank SP, heavy	Ť	тсо

CA	ITEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.4.45	WEAPON/ Missile/	\leftarrow	CDEC-VIDS NTC test
11.4.46	WEAPON/ Missile/ tow, APC mounted	<u> </u>	CDEC-VIDS NTC test
11.4.47	WEAPON/ Missile/ tow, ground	\subseteq	CDEC-VIDS hellfire test
11.4.48	WEAPON/ Missile/ U.S. Dragon	₹	CDEC-VIDS annual test
11.5.1	WESPON/ Mortan/	^	BETA TEST BED
11.5.2	WEAPON/ Mortan/ undifferentiated	0	TOS
11.5.3	WESPON/ Mortan/	\bigcirc	MIFRSS immediate request
11.5.4	WEAPON/ Mortar/	\uparrow	MIFASS target
11.5.5	WEAPON/ Mortar/ light	\uparrow	FM 21-30, NATO D-49(1980) , TCO

ÇP	TEGORY/00N022T/	SYMBOL.	SOURCE AND REPARKS
11.5.6	medium medium	Î	FT: 21-38, NATO D-49(1980) , TCO
11.5.7	NOFTON/ horter/ heavy	 	FM 21-30, NATO D-49(1988) , TCO
11.6.1	NZCFON/ Naval Gunfine/ (255)	DE	TCO, MIFASS
11.6.2	(८८२००८) Yaval Gunfine/ (८८५)	GS	TCO, MIFASS
11.6.3	MOPON/ Navol Gunfine/ Unassigned ship		TCO, MIFASS
11.7.5	WTAPON/ Rivie/ recoilless, light		FM 21-30, TCO
11.7.2	NIPRAV Risses ngustiless, medium	Ĥ	FM 21-30, YCC
11.7.3	WZRPONV Rifle/ recoilless, heavy	\uparrow	FM 21-30, YCO
11.8. 1	WEAPON/ Rocket/ undifferentiated		T0S

C	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.8.2	WEAPON/ Rocket/ light		FM 21-30, NATO D-49(1990) , TCO -
11.8.3	WEAPON/ Rocket/ medium	↑	FM 21-30, NATO D-49(1980) , TCO
11.8.4	WERPON/ Rocket/ heavy	↑	FM 21-30, NATO D-49(1980) , TCO
11.8.5	WESPON/ Rocket/ manheld, laser guided		CDEC-VIDS NTC test
11.8.6	WEAPON/ Rocket/ light		FM 21-30, MIFASS See also Missile and 6.8.2.
11.8.7	WEAPON/ Rocket/ medium	A	FM 21-30, MIFASS See also Missile and 6.8.3
11.8.8	WEAPON/ Rocket/ heavy	A	FM 21-30, MIFASS See also Missile and 6.8.4.
11.9.1	WEAPON/ Rocket Launcher/ SP/light, tracked	\uparrow	TCO
11.9.2	WEAPON/ Rocket Launcher/ SP/medium, tracked	♦	тсо

C	DATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
11.9.3	WEAPON/ Rocket Launcher/ SP/heavy, tracked	<u></u>	TCO -
11.9.4	WERPON/ Rocket Launcher/ SP/light, wheeled		тсо
11.9.5	NEAPONY Rocket Launcher/ SP/medium, wheeled	****	TCO
11.9.6	WESPON/ Rocket Launcher/ SP/heavy, wheeled	***	TCO
11.9.7	NECPONY Rocket Launcher/ multi-barrel	* *	BETA TEST BED
11.9.8	WEAPON/ Rocker Launcher/ multi-barrel, artillery, light	Î	FM 21-30, NATO D-49(1980) , TOS
11.5.9	WEAPON/ Rocket Launcher/ multi-mornel, antillary, medium	Ĥ	FM 21-30, NATO D-49(1980) , TOS
11.9.10	Rocket Launcher/ multi-barrel, antillery, heavy	Â	FM 21-30, NATO D-49(1980) , TOS
11.10.1 !	HEAPON/ Heapon/	\uparrow	MIFASS

PLATE 2: SECOND LEVEL MENU SELECTIONS (SCAN SELECTED)

ACCESS TO SYMBOLOGY CATALOGUE

Menu Functions

- * scan list catalogue information and display symbols.
- * insert insert names, symbols, or primitives into catalogue.
- * delete delete items from catalogue.
- * find | find a selected symbol or primitive in the catalogue.
- * autoprint automatically generates hard copy of all symbols.

>>>>> HAPPY SYMBOLLING <<<<<

Select Catalogue Operation By Number

1 scan 3 delete 5 autoprint 2 insert 4 find EXIT

Enter number and press CONFIRM: 1_

PLATE 3: THIRD LEVEL MENU SELECTIONS (SOURCES SELECTE)

SCANNING OPERATIONS

Indexing Lists of Names and Selection of Symbol Display Criteria -

- * sources display symbols by symbology source e.g. FM 21-30 NATO D-49(1980), BETA, etc.
- * categories display symbols by category e.g. weapons, aviation, tactical unit, installation, etc.

Displaying all Items in the Automated Catalogue

- * symbols display all 1000+ symbols in the automated catalogue.
- * flagged symbols display of all symbols in the catalogue that are marked as highly discriminable.

Select Scanning Operation by Number and Press CONFIRM.

INDEX LIST OF: 1 sources 2 categories 3 concepts
DISPLAY ALL THE: 4 symbols 5 flagged symbols 6 primitives

Scan: 1_

PLATE 4: MENU SELECTION--SCAN BY SYMBOL SOURCE 4 (FM 21-30)

SYMBOLOGY SOURCES

- 1 DIVRAS
- 2 NATO D-49(1980)
- **3** TCO
- 4 FM 21-30
- 5 TOS
- 6 CPS
- 7 BETA TEST BED
- B MIFASS >
- 9 TAOC-85
- 10 TACC
- 11 ITAOC
- 12 AF E-3A PPI
- 13 AF 407L/485 L T
- 14 PLRS
- 15 AFR 55-25
- 16 FM 101-5-1
- 17 CDEC-VIDS

END OF LIST

SCAN: To display catalogue source, enter its number from the list above and press CONFIRM, else press EXIT.

Enter source number : 4_

SCAN BY FM 21-30

C	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
2.2.1	AVIATION/ Antisubmarine/ Aircraft(AF)		FM 21-30
2.4.2	AVIATION/ Aviation/	\sim	FM 21-30, NATO D-49(1980) , TCO
2.4.3	AVIATION/ Aviation/ Army		FM 21-30, DIVRAS DI = 3.83
2.5.1	AVIATION/ Bomber/ Air Force		FM 21-30 this symbol represents trans- port aviation in NATO D-49
2.7.1	AVIATION/ Drone Aircraft/ Air Force		FM 21-30

MORE symbols.....press CONFIRM or EXIT

PLATE 3: THIRD LEVEL MENU SELECTIONS (CATEGORIES SELECTED)

SCANNING OPERATIONS

Indexing Lists of Names and Selection of Symbol Display Criteria -

- * sources display symbols by symbology source e.g. FM 21-30 NATO D-49(1980), BETA, etc.
- * categories display symbols by category e.g. weapons, aviation, tactical unit, installation, etc.
- * concepts display symbols by concept e.g. helicopter, armor, radar, air defense, etc.

Displaying all Items in the Automated Catalogue

- * symbols display all 1000+ symbols in the automated catalogue.
- * flagged symbols display of all symbols in the catalogue that are marked as highly discriminable.
- * primitives display all primitives available for constructing symbols.

Select Scanning Operation by Number and Press CONFIRM.

INDEX LIST OF: 1 sources 2 categories 3 concepts
DISPLAY ALL THE: 4 symbols 5 flagged symbols 6 primitives

Scan: 2_

PLATE 4: MENU SELECTION--SCAN BY SYMBOL CATEGORY 5 (TACTICAL UNIT)

SYMBOL CATEGORIES

- 1 ACTIVITY
- 2 AVIATION
- 3 TOOMLINICATION
- 4 VEHICLES
- 5 TACTICAL UNIT
- 6 MEASLE
- 7 COMBAT SERVICE SUPPO
- 8 NUCLEAR BIO CHEM
- 9 OBSTACLES AND FORT
- 10 INSTALLATIONS
- 11 WEAPON

END OF LIST

SCAN: To display catalogue category, enter its number from the list above and press CONFIRM, else press EXIT.

Enter category number : 5_

SCAN BY TACTICAL UNIT

CA	TEGORY/CONCEPT/	SYMBOL	Source and remarks
1.1.1	TACTICAL UNIT/ Air Cavalry/	•	FM 21-30 DI = 1.68
1.1.2	TACTICAL UNIT/ Air Cavalry/		NATO D-49(1980) DI = 3.53
1.1.3	TACTICAL UNIT/ Air Cavalry/		тсо
1.2.1	TACTICAL UNIT/ Air Defense/ (AD)		NATO D-49(1980), TOS , BETA TEST BED
1.2.2	TACTICAL UNIT/ Air Defense/ artillery		FM 21-30, BETA TEST BED DI = 1.63

 $\begin{tabular}{ll} {\tt MORE symbols.....press} & {\tt CONFIRM or EXIT} \\ \end{tabular}$

PLATE 3: THIRD LEVEL MENU SELECTIONS (CONCEPTS SELECTED)

SCANNING OPERATIONS

Indexing Lists of Names and Selection of Symbol Display Criteria

- * sources display symbols by symbology source e.g. FM 21-30 NATO D-49(1980), BETA, etc.
- * categories display symbols by category e.g. weapons, aviation, tactical unit, installation, etc.

Displaying all Items in the Automated Catalogue

- * symbols display all 1000+ symbols in the automated catalogue.
- * flagged symbols display of all symbols in the catalogue that are marked as highly discriminable.
- * primitives display all primitives available for constructing symbols.

Select Scanning Operation by Number and Press CONFIRM.

INDEX LIST OF: 1 sources 2 categories 3 concepts
DISPLAY ALL THE: 4 symbols 5 flagged symbols 6 primitives

Scan: 3_

PLATE 4: FOURTH LEVEL MENU SELECTION: SCAN BY CONCEPT 18 (HELICOPTER)

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
1 Action 2 Bridging 3 Ferrying 4 Movement 5 Destroyed 6 Phoney 7 Propoganda 8 Responsibility 9 Snorkeling 10 Aerial 11 Antisubmarine 12 Aviation 13 Bomber 14 Close Air Support 15 Drone Aircraft 16 Fighter 17 Fixed Wing Aircraft 18 Helicopter 19 Marine 20 High Performance 21 Medevac	23 Seaplane 24 Transport 25 Emit 26 Message Center 27 Signal 28 Nuclear 29 Formation 30 Reconnaissance 31 Jamming 32 Radar 33 Radio 34 Telephone 35 Teleprinter 36 Television 37 ADP Central 38 Elec. Navig. Aid 39 Microphones 40 Target Designator 41 Visual Station 42 Amphibious 43 Animal	45 Boat 46 C-Cube 47 Cargo 48 Engine 49 Ferry 50 Air Cavalry 51 Hovercraft 52 Operational 53 Communication 54 Over-snow 55 Personnel 56 Missile 57 Railway 58 Shooter 59 Sledge/sled 60 Vehicle 61 Ship 62 Airfield 63 Submarine 64 Tracked 65 Landing Site
22 Rescue	44 Armoured	66 Train

MORE.... Press CONFIRM for next page

SCAN: To display catalogue concept, enter its number from the list above and press CONFIRM, else press EXIT. Enter concept number : 18_

SCAN BY HELICOPTER

CF	NTEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
2.11.1	AVIATION/	\sim 1	BETA TEST BED
-	Helicopter/		note Army helicopter symbol- NATO
2.11.2	AVIATION/ Helicopter/	\ /	BETA TEST BED
	he i toptei /	\times	symbol represents helos or helo lz
2.11.3	AVIATION/		MIFASS
	Helicopter/	lacktriangle	Air Track
2.11.4	AVIATION/		PLRS
	Helicopter/		rotary wing or low performance aircraft
2.11.5	AVIATION/ Helicopter/ Air Force		FM 21-30, NATO D-49(1980) , TCO

MORE symbols.....press CONFIRM or EXIT

a	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
2.11.6	AVIATION/ Helicopter/		FM 21-30
- 18	Army '		DI = 4.33
2.11.7	AVIATION/ Helicopter/	$\overline{\sim}$	NATO D-49(1980)
	Army		DI = 5.68
2.11.8	AVIATION/ Helicopter/ antitank		NATO D-49(1980)
2.11.9	AVIATION/ Helicopter/		TOS
	attack		DI = 5.68
2.11.10	AVIATION/ Helicopter/		BETA TEST BED
	attack	∞	also represents combat aviation DI = 1.63

MORE symbols.....press CONFIRM or EXIT

œ	TEGORY/CONCEPT/	SYMBOL	Source and remarks
2.11.12	AYIATION/ Helicopter/ attack		TCO -
2.11.14	RVIATION/ Helicopter/		TOS
	enemy		sighted enemy helicopter
2.11.15	AVIATION/		TACC-85
	Helicopter/ air track enemy		unknown helo/transport-enemy or friend
2.11.16	AVIATION		TACC-85
	Helicopter/ enemy		Air Track symbol for hostile, general, helo/transport
2.11.17	AVIATION/		TACC, ITACC
	Helicopter/ enemy		Air Track symbol for unknown, assumed enemy helo

CA	TEGORY/CONCEPT/	SYMBOL.	SOURCE AND REMARKS
2.11.18	Helicopter/	\wedge	MIFRES -
•	enemy	/•\	Air Target Symbol
2.11.19	Helicopter/		AF E-3A PPI
	friend		Air Track for unpaired friendly helo
2.11.20	AVIATION/ Helicopter/		AF E-3A PPI
	friend		Air Track for paired friendly helo
2.11.21	AVIATION/ Helicopter/		AF 487L/485 L T
	friend	<u>>.</u>	Air Track for unpaired friendly helo
2.11.22	AVIATION/ Helicopter/		AF 407L/485 L T
	friend		Air Track for paired friendly helo

CATEGORY/CONCEPT/ SYMBOL. SOURCE AND REMARKS TACC, ITACC, TACC-85 2.11.23 AVIATION Helicopter/ friend Air Track for friendly helo, general, no statement 2.11.24 AVIATION TACC, ITACC He bicopter/ Air Track for unknown, asfriend sumed friendly helo/transport 2.11.25 AVIATION TOS Helicopter/ see also transport helo heavy symbol 2.11.27 AVIATION FM 21-30 Helicopter/ see also transport helo heavy army symbol MIFASS 2.11.29 AVIATION/ Helicopter/ pickup

CATEGORY/CO	INCEPT/	SYMBOL	Source and remarks
2.11.30 RVIATION Helicopt delivery	er/		1IFASS -
2.11.31 AVIATION Helicopt transpor Air Ford	er/		TM 21-30
5.2.1 MEASLE/ Helicopt	er/		rco
2.11.11 AVIATION Helicopt attack			CDEC-VIDS
2.11.28 AVIATION Helicopt OH-58	_	— (CDEC-VIDS

CATEGORY/CONCEPT/

SYMBOL

SOURCE AND REMARKS

2.11.13 AVIATION/ Helicopter/ combat



NATO D-49(1988)

Thats all.....press CONFIRM or EXIT to continue _

PLATE 3: THIRD LEVEL MENU SELECTIONS (FLAGGED SYMBOLS SELECTED)

SCANNING OPERATIONS

Indexing Lists of Names and Selection of Symbol Display Criteria

- * sources ~ display symbols by symbology source e.g. FM 21-30 NATO D-49(1980), BETA, etc.
- * categories display symbols by category e.g. weapons, aviation, tactical unit, installation, etc.
- * concepts display symbols by concept e.g. helicopter, armor, radar, air defense, etc.

1000

Displaying all Items in the Automated Catalogue

- * symbols display all 1000+ symbols in the automated catalogue.
- * flagged symbols display of all symbols in the catalogue that are marked as highly discriminable.
- * primitives display all primitives available for constructing symbols.

Select Scanning Operation by Number and Press CONFIRM.

INDEX LIST OF: 1 sources 2 categories 3 concepts
DISPLAY ALL THE: 4 symbols 5 flagged symbols 6 primitives

Scan: 5_

PRINTOUT OF FLAGGED SYMBOLS

C	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
2.4.4	AVIATION/ Aviation/ Army		NATO D-49(1982)- DI = 5.18
2.4.5	AVIATION/ Aviation/ Army		TOS DI = 5.18
2.11.7	AVIATION/ Helicopter/ Army		NATO D-49(1988) DI = 5.68
2.11.9	RVIATION/ Helicopter/ attack		TOS DI = 5.68
2.11.10	AVIATION/ Helicopter/ attack	$\overline{\otimes}$	BETA TEST BED also represents combat aviation DI = 1.63

Œ	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
1.1.2	TACTICAL UNIT/ Air Cavalry/		NATO D-49(1982) - DI = 3.53
1.2.3	TACTICAL UNIT/ Air Defense/ artillery		BETA TEST BED ADA unknown, or Rgt or Btry. DI = 2.13
4.1.1	INSTALLATIONS/ Ammunition/		FM 21-30, TCO DI = 4.38
1.6.2	TACTICAL UNIT/ Airborne/	\bigcirc	BETA TEST BED symbol same as NATO D-49 parachute symbol. DI = 1.63
4.1.10	INSTALLATIONS/ Ammunition/ aviation Air Force		FM 21-30, TCO DI = 5.78

CHI	EGOKY	œpt/

1.9.2 TACTICAL UNIT/ Antitank/

4.1.12 INSTALLATIONS/ Ammunition/ aviation Army

1.10.2 TACTICAL UNIT/ Armour/ enemy

4.1.16 INSTALLATIONS/ Ammunition/ small arms

4.1.20 INSTALLATIONS/ Ammunition/ storage SYMBOL

SOURCE AND REMARKS

œs

DI = 4.28

FM 21-30

DI • 5.78

œs

DI = 5.18

FM 21-30, TCO

DI - 5.78

TOS

DI = 5.73

small arms

ONS/



Œ	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
1.14.1	TACTICAL UNIT/		FM 21-30 -
-			DI = 2.63
1.19.3	TACTICAL UNIT/ Command/	1	CPS
	post	\times	DI • 5.18
1.21.4	TACTICAL UNIT/ Engineer/		FM 21-30, BETA TEST BED
	bridging		DI = 2.13
1.27.8	TACTICAL UNIT/ Missile/		BETA TEST BED
	SSM		DI = 2.13
1.31.1	TACTICAL UNIT/	.	BETA TEST BED
	INVET 3/		DI = 5.18

 ${\color{red} \textbf{MORE symbols}.....press \ \textbf{CONFIRM or EXIT}}$

a	ATEGORY/CONCEPT/	SYMBOL	Source and remarks
4.8.3	INSTALLATIONS/ Fuel/		T05
-		Y	DI • 5.73
4.8.4	INSTALLATIONS/ Fuel/		FM 21-30, TCO
	aviation Air Force	(∞)	DI • 6.68
4.8.7	INSTALLATIONS/ Fuel/		NATO D-49(1980)
	aviation Army	(X)	DI • 6.63
4.11.1	INSTALLATIONS/ Medical/		NATO D-49(1980)
	1200001	(+)	DI • 5.23
4.18.2	INSTALLATIONS/ Ordnance/		NATO D-49(1980)
	or difference,	(X)	DI = 6.18

æ	ATEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
4.11.4	INSTALLATIONS/ Medical Supply/		TOS -
-			DI • 5.73
3.8.1	COMBAT SER. SUPPORT/ Logistics Unit/		NATO D-49(1980)
			unspecific or multirole DI = 1.63
3.11.1	COMBAT SER. SUPPORT/ Medical/		FM 21-30, NATO D-49(1980), TOS, BETA TEST BED
			DI = 1.63
3.11.2	COMBAT SER. SUPPORT/ Medical/		NATO D-49(1980)
			<pre>specific to Turkey DI = 1.63</pre>
3.18.1	COMBAT SER. SUPPORT/ Support/		CPS
			DI = 5.18

CA)	TEGORY/CONCEPT/	SYMBOL	SOURCE AND REMARKS
3.18.7	COMBAT SER. SUPPORT/ Support/	ros/	FM 21-38 DI = 4.78
	corps	(0)	DI - 4.70
3.21.2	COMBAT SER. SUPPORT/ Supply/		NATO D-49(1980)
			note symbol 3.22.1 DI = 1.63
3.21.3	COMBAT SER. SUPPORT/ Supply/		TOS
	Supplies.		DI = 1.63
3.22.2	COMBAT SER. SUPPORT/		FM 21-30
	il.gius.		DI = 2.13

Thats all....press CONFIRM or EXIT to continue _

PLATE 3: THIRD LEVEL MENU SELECTIONS (PRIMITIVES SELECTED)

SCANNING OPERATIONS

Indexing Lists of Names and Selection of Symbol Display Criteria

- * sources display symbols by symbology source e.g. FM 21-30 NATO D-49(1980), BETA, etc.
- * categories display symbols by category e.g. weapons, aviation, tactical unit, installation, etc.
- * concepts display symbols by concept e.g. helicopter, armor, radar, air defense, etc.

Displaying all Items in the Automated Catalogue

- * symbols display all 1000+ symbols in the automated catalogue.
- * flagged symbols display of all symbols in the catalogue that are marked as highly discriminable.
- * primitives display all primitives available for constructing symbols.

Select Scanning Operation by Number and Press CONFIRM.


INDEX LIST OF: 1 sources 2 categories 3 concepts
DISPLAY ALL THE: 4 symbols 5 flagged symbols 6 primitives

Scan: 6_

PRINTOUT OF ALL PRIMITIVES

PRIMITIVES

armour '	\Diamond
lisa ,	
dashbox	
crossbox	
arcbox	



PRIMITIVES

pom fish hex larA

MORE primitives.....press CONFIRM or EXIT

larB

larC
larD
larE
larF

larH
larK
larL

PRIMITIVES

larN

lar0

larP

larG

larR

PRIMITIVES

lar5


larT

larU

larV

larW

STUVI



	PATILITIAE2
medA .	Α
medB ,	В
medC	(
medD	D
medE	E

	PRIMITIVES
med2 -	Z
medbox	
stdbox	
triangle	
wheel	❤

MORE primitives....press CONFIRM or EXIT

:

. . . .

- -

PRIMITIVES

wing

 \sim

radar

~~~

sqig

\\\\

squig

~~

dia



	PRIMITIVES
wingbox	\bigcirc
halfwingbox	
dotbox	•
cylbox	
tribox	

PLATE 2: SECOND LEVEL MENU SELECTIONS (INSERT SELECTED)

ACCESS TO SYMBOLOGY CATALOGUE

Menu Functions

- * scan list catalogue information and display symbols.
- * insert insert names, symbols, or primitives into catalogue.
- * delete delete items from catalogue.
- * find find a selected symbol or primitive in the catalogue.
- * autoprint automatically generates hard copy of all symbols.

>>>>> HAPPY SYMBOLLING <<<<<

Select Catalogue Operation By Number

1 scan 3 delete 5 autoprint 2 insert 4 find EXIT

Enter number and press CONFIRM: 2_

PLATE 3: INSERTING NEW SYMBOL

Select Catalogue Operation By Number

1 symbol 2 concept 3 source 4 category 5 primitive EXIT

Insert: 1_

DESIGNATING CODE NUMBER FOR NEW SYMBOL

CATEGORY/CONCEPT/

SYMBOL

Source and remarks

INSERT: Symbol number in format of n.n.n: 5.3.1_

PLATE 3: INSERTING NEW CONCEPT

1 symbol 2 concept

3 source 4 category

5 primitive

Insert: 2_

INSERTING NEW CONCEPT

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
1 Action 2 Bridging 3 Ferrying 4 Movement 5 Destroyed 6 Phoney 7 Propoganda 8 Responsibility 9 Snorkeling 10 Aerial 11 Antisubmarine 12 Aviation 13 Bomber 14 Close Air Support 15 Drone Aircraft 16 Fighter 17 Fixed Wing Aircraft 18 Helicopter 19 Marine 20 High Performance 21 Medevac 22 Rescue	23 Seaplane 24 Transport 25 Emit 26 Message Center 27 Signal 28 Nuclear 29 Formation 30 Reconnaissance 31 Jamming 32 Radar 33 Radio 34 Telephone 35 Teleprinter 36 Television 37 ADP Central 38 Elec. Navig. Aid 39 Microphones 40 Target Designator 41 Visual Station 42 Amphibious 43 Animal 44 Armoured	45 Boat 46 C-Cube 47 Cargo 48 Engine 49 Ferry 50 Air Cavalry 51 Hovercraft 52 Operational 53 Communication 54 Over-snow 55 Personnel 56 Missile 57 Railway 58 Shooter 59 Sledge/sled 60 Vehicle 61 Ship 62 Airfield 63 Submarine 64 Tracked 65 Landing Site 66 Train
		MORE Press CONFIRM for next page

INSERTING NEW CONCEPT

SYMBOL CONCEPT	SYMBOL CONCEPT	SYMBOL CONCEPT
67 Wheeled 68 Unspecified 69 Landing Zone 70 Vehicles 71 Surface 72 Seaplane Station 73 Landing Vehicle 74 MICV 75 Air Defense 76 Ammunition 77 Air Mobile 78 Air Transportable 79 Air Naval Ground 80 Airborne 81 Antiaircraft 82 Antitank 83 Armour 84 Army Security Agcy 85 Artillery 86 Collecting Point 87 FA 88 Construction	89 CBR 90 Chemical 91 Combined Arms Army 92 CEWI 93 CZ Element 94 Decontamination 95 Command 96 Electronic 97 Electronic Warfare 98 Engineer 99 Food 100 Infantry 101 Fuel 102 Irregular Forces 103 Maneuver Unit 104 Marines 105 Brigade 106 Military 107 Mortar Fire Unit 108 Motor Rifle 109 Mountain 110 Movers	111 Navy 112 Ordnance 113 Parachute 114 Reinforcement 115 Shooters 116 Special Forces 117 Bio or Chem Event 118 Contamination 119 Radioactive Area 120 Radioactive Area 121 Targets 122 Booby Trap 123 Bridge 124 Demolition 125 Fence 126 Data Processing Unit 127 Dental 128 Maintenance 129 Major End Items 130 Medical 131 Hospital 132 Medical Supply MORE Press CONFIRM
		for next page

INSERT: To insert a new concept not in the list above type its name and press CONFIRM, else press EXIT.
Enter concept name:

PLATE 3: INSERTING NEW SYMBOL SOURCE

1 symbol 3 source 5 primitive 2 concept 4 category

Insert: 3_

į

DESIGNATING NEW SYMBOL SOURCE FOR INSERTION

SYMBOLOGY SOURCES

- 1 DIVRAS .
- 2 NATO D-49(1982)
- э тоо
- 4 FM 21-30
- 5 TOS
- 6 CPS
- 7 BETA TEST: BED
- 8 MIFASS
- 9 TAOC-85
- 18 TACC
- 11 ITAOC
- 12 AF E-3A PPI
- 13 AF 487L/485 L T
- 14 PLRS
- 15 AFR 55-25
- 16 FM 101-5-1
- 17 CDEC-VIDS

END OF LIST

INSERT: To insert a new source not in the list above type its name and press CONFIRM, else press EXIT. Enter source name:

PLATE 3: INSERTING NEW CATEGORY

1 symbol 2 concept

3 source 4 category

5 primitive

Insert: 4_

DESIGNATING NEW SYMBOL CATEGORY FOR INSERTION

SYMBOL CATEGORIES

- 1 ACTIVITY
- NOITAIVA S
- 3 COMMUNICATION
- 4 VEHICLES
- 5 TACTICAL UNIT
- 6 MEASLE
- 7 COMBAT SERVICE SUPPO
- 8 NUCLEAR BIO CHEM
- 9 OBSTACLES AND FORT
- 10 INSTALLATIONS
- 11 WERPON

END OF LIST

INSERT: To insert a new category not in the list above type
 its name and press CONFIRM, else press EXIT.
Enter category name : __

PLATE 3: INSERTING NEW PRIMITIVE

1 symbol 2 concept 3 source 4 category 5 primiti∨e

Insert: 5_

INSERTING NEW PRIMITIVE INTO TACSYM (USER WOULD DRAW PRIMITIVE VIA KEYBOARD CONTROLS)

PRIMITIVES

INSERT: Primitive name: (_____)

PLATE 2: SECOND LEVEL MENU SELECTIONS (DELETE SELECTED)

ACCESS TO SYMBOLOGY CATALOGUE

Menu Functions

- * scan list catalogue information and display symbols.
- * insert insert names, symbols, or primitives into catalogue.
- * delete delete items from catalogue.
- * find - find a selected symbol or primitive in the catalogue.
- * autoprint automatically generates hard copy of all symbols.

>>>>> HAPPY SYMBOLLING <<<<<

Select Catalogue Operation By Number

1 scan 3 delete 5 autoprint 2 insert 4 find EXIT

Enter number and press CONFIRM: 3_

MENU OPTIONS FOR DELETION OF ITEMS

Select Catalogue Operation By Number

1 symbol 2 concept

3 source 4 category

5 primiti∨e EXIT

Delete: _

DELETE: Symbol number in the format n.n.n: _

PLATE 3: SYMBOL CONCEPT DELETION SELECTION

Select Catalogue Operation By Number

1 symbol 2 concept 3 source 4 category

5 primitive

Delete: 2_

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
1 Action 2 Bridging 3 Ferrying 4 Movement 5 Destroyed 6 Phoney 7 Propoganda 8 Responsibility 9 Snorkeling 10 Aerial 11 Antisubmarine 12 Aviation 13 Bomber 14 Close Air Support 15 Drone Aircraft 16 Fighter 17 Fixed Wing Aircraft 18 Helicopter 19 Marine 20 High Performance 21 Medevac	23 Seaplane 24 Transport 25 Emit 26 Message Center 27 Signal 28 Nuclear 29 Formation 30 Reconnaissance 31 Jamming 32 Radar 33 Radio 34 Telephone 35 Teleprinter 36 Television 37 ADP Central 38 Elec. Navig. Aid 39 Microphones 40 Target Designator 41 Visual Station 42 Amphibious 43 Animal	45 Boat 46 C-Cube 47 Cargo 48 Engine 49 Ferry 50 Air Cavalry 51 Hovercraft 52 Operational 53 Communication 54 Over—snow 55 Personnel 56 Missile 57 Railway 58 Shooter 59 Sledge/sled 60 Vehicle 61 Ship 62 Airfield 63 Submarine 64 Tracked 65 Landing Site
22 Rescue	44 Armoured	66 Train MORE Press CONFIRM
		A

DELETE: To delete a concept from the list above enter its number and press CONFIRM, else press EXIT.
Enter concept number :_

for next page

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS .
71 Surface 72 Seaplane Station 73 Landing Vehicle 74 MICV	102 Irregular Forces 103 Maneuver Unit 104 Marines	114 Reinforcement 115 Shooters 116 Special Forces 117 Bio or Chem Event 118 Contamination 119 Radioactive Area 120 Radioactive 121 Targets 122 Booby Trap 123 Bridge 124 Demolition 125 Fence 126 Data Processing Unit 127 Dental 128 Maintenance 129 Major End Items 130 Medical 131 Hospital 132 Medical Supply MORE Press CONFIRM
		for next page

DELETE: To delete a concept from the list above enter its number and press CONFIRM, else press EXIT.

Enter concept number:

SYMBOL CONCEPTS	SYMBOL CONCEPTS	SYMBOL CONCEPTS
133 Mines 134 Missile Supply 135 Multi-Class 136 Multirole 137 Nuclear Storage 138 Personal Demand 139 Repair Parts 140 Wire 141 Obstacle 142 Subsistence 143 Traffic Control 144 Unknown Logistic 145 Water 146 Force 147 Headquarters 148 Landing 149 Logistics Unit 150 Marine Amphibious	155 Support 156 Rear Area Operations 157 Service 158 Trains 159 Ground Attack 160 ICV 161 Tank 162 Clothing 163 Plane 164 Flame Thrower 165 Gun 166 Mortar 167 Naval Gunfire 168 Rifle 169 Rocket 178 Rocket Launcher 171 Weapon 172 Smoke Generator 173 Tracks	177 Zone
153 Petroleum Supply 154 Shore Party Team	175 Toxic Agent	

END OF LIST

and press CONFIRM, else press EXIT. Enter concept number :

PLATE 3: SYMBOL SOURCE DELETION SELECTION

1 symbol 2 concept

3 source 4 category

5 primitive

Delete: 3_

SOURCE DELETION INSTRUCTIONS

SYMBOLOGY SOURCES

1 DIVARS
2 NATO D-49(1988)
3 TCO
4 FM 21-38
5 TOS
6 CPS
7 BETA TEST BED
8 MIFASS
9 TAOC-85
10 TACC
11 ITACC
12 AF E-3A PPI
13 AF 487L/485 L T
14 PLRS
15 AFR SS-25
16 FM 101-5-1
17 CDEC-VIDS

END OF LIST

DELETE: To delete a source from the list above enter its number and press CONFIRM, else press EXIT.

Enter source number:

PLATE 3: SYMBOL CATEGORY DELETION SELECTION

1 symbol 2 concept 3 source 4 category

5 primitive

Delete: 4_

CATEGORY DELETION INSTRUCTIONS

SYMBOL CATEGORIES

- 1 ACTIVITY
- 2 AVIATION.
- 3 COMMUNICATION
- 4 VEHICLES
- 5 TACTIONL UNIT
- 6 MERGLE
- 7 COMBAT SERVICE SUPPO
- 8 NUCLEAR BIO CHEM
- 9 OBSTACLES AND FORT
- 10 INSTALLATIONS
- 11 WEAPON

END OF LIST

DELETE: To delete a category from the list above enter its number and press CONFIRM, else press EXIT.

Enter category number:

PLATE 3: PRIMITIVE DELETION SELECTION

1 symbol 2 concept

3 source 4 category

5 primitive

Delete: 5_

PRIMITIVE DELETION INSTRUCTIONS

GRAPHIC PRIMITIVES	GRAPHIC PRIMITIVES	GRAPHIC PRIMITIVES
1 Zwing	23 larP	45 medJ
2 VMA	24 larQ	46 medK
3 activityarrow4	25 larR	47 medL
4 arrow	26 lar5	48 medM
5 bio	27 larT	49 medN
6 bow	28 larU	50 med0
7 fish	29 larV	51 medP
8 hex	30 larW	52 medQ
9 lanA	31 larX	53 medR
10 larB	32 larY	54 medS
11 larC	33 larZ	55 medT
12 larD	34 larbox	56 medU
13 larE	35 marine	57 medV
14 larF	36 medA	58 medW
15 larG	37 medB	59 medX
16 1004	3B medC	68 medY
17 larJ	39 medD	61 medZ
18 larK	40 medE	62 medbox
19 larL	41 medF	63 stdbox
28 larM	42 medG	64 triangle
21 larN	43 medH	65 wheel
22 lar0	44 medI	66 wing
 • •	IIEUL	Co wing
		MORE Press CONFIRM for next page

DELETE: To delete a primitive from the list above enter its number and press CONFIRM, else press EXIT.

Enter primitive number:

PLATE 2: SECOND LEVEL MENU SELECTIONS (FIND SELECTED)

ACCESS TO SYMBOLOGY CATALOGUE

Menu Functions

- * scan list catalogue information and display symbols.
- * insert insert names, symbols, or primitives into catalogue.
- * delete delete items from catalogue.
- * find | find a selected symbol or primitive in the catalogue.
- * autoprint automatically generates hard copy of all symbols.

>>>>> HAPPY SYMBOLLING <<<<<

Select Catalogue Operation By Number

1 scan 3 delete 5 autoprint

Enter number and press CONFIRM: 4_

PLATE 3: MENU FOR FINDING SYMBOL OR PRIMITIVE BY DESIGNATING CODE NUMBER

Select Catalogue Operation By Number

1 symbol EXIT 2 primitive

Find: _

FIND SYMBOL SELECTION

CATEGORY/CONCEPT/

SYMBOL

Source and remarks

FIND: Symbol number in format of n.n.n: 10.22.1_

SYMBOL FOUND BY CODE NUMBER

CATEGORY/CONCEPT/

SYMBOL

SOURCE AND REMARKS

10.22.1 VEHICLES/

Tank/ XM-1



CDEC-VIDS

NTC

1 symbol 2 primitive EXIT

Find: _

FIND PRIMITIVE SELECTION

1 symbol 2 primitive

Find: 2_

INSTRUCTIONS FOR FIND PRIMITIVE SELECTION

GRAPHIC PRIMITIVES	GRAPHIC PRIMITIVES	GRAPHIC PRIMITIVES
1 Zuing	23 larP	45 medJ
2 VMR	24 larQ	46 medK
3 activityarrow4	25 larR	47 medL
4 arrow	26 larS	48 medM
5 bio	27 larT	49 medN
6 bow	28 larU	50 med0
7 fish	29 larV	51 medP
B hex	38 larW	52 medQ
9 larA	31 larX	53 medR
10 larB	32 lary	54 medS
11 larC	33 larZ	55 medT
12 larD	34 larbox	56 medU
13 larE	35 marine	57 medV
14 larF	36 medA	58 medW
15 larG	37 medB	59 medX
16 larH	38 medC	60 medY
17 larJ	39 medD	61 medZ
18 larK	40 medE	62 medbox
19 lari	41 medF	63 stdbox
20 larM	42 medG	64 triangle
21 larN	43 medH	65 wheel
22 lar0	44 medI	66 wing
		MORE Press CONFIRM

FIND: To display a primitive from the list above enter its number and press CONFIRM, else press EXIT.

Enter primitive number:

for next page


GRAPHIC PRIMITIVES GRAPHIC PRIMITIVES 67 radar 89 dashmushroom 90 420 68 sqig 69 squig 91 421 70 dia 92 dashcone 93 demo 71 armour 72 lisa 94 XX 95 loops 73 dashbox 96 oil 74 crossbox 75 arcbox 97 tree 76 wingbox 98 swamp 77 halfwingbox 99 motor 78 dotbox 100 mgap 79 cylbox 101 force 80 tribox 102 larI 81 instal 103 zoo 104 sur 82 cir 83 fil 105 tank 106 mine 84 flag 107 robo 85 germ 86 cone 108 fan 109 fight 87 mushroom 88 linegerm

END OF LIST

FIND: To display a primitive from the list above enter its number and press CONFIRM, else press EXIT.

Enter primitive number:

PLATE 1: FIRST LEVEL MENU SELECTIONS (TUTORIAL SELECTED)



* SYSTEM OPERATIONS

· E ECUTIVE SUMMARY

PLATE 2: EXAMINING EXECUTIVE SUMMARY MENU SELECTIONS WITHIN TUTORIAL (OVERVIEW SELECTED)

EXECUTIVE SUMMARY

٤٤	I	Ε	l	ı

Description of the symbology program.

GENERAL RULES

Rules for defining symbols in the different symbology systems.

SAMPLE SYMBOLS

Embellished symbols from various symbology sources.

PLATE 3: EXAMINING MENU SELECTIONS FOR OVERVIEW WITHIN EXECUTIVE SUMMARY (SUMMARY OF SYMBOLOGY PROGRAM SELECTED)

OVERVIEW

BUNDARA OF SAMBOLOGA PROBRAN

Summary of the three year research and development program on battlefield symbology.

RESULTS OF SYMBOLOGY SURVEY

Results of symbology survey.

SYMBOL DISCRIMINABILITY

Description of symbol discriminability.

TACSYM SYSTEM DEVELOPMENT

Description of the automated catalogue software system.

PLATE 4: EXAMINING SYMMARY OF SYMBOLOGY PROGRAM WITHIN OVERVIEW

Summary of Symbology Program

The ARMY RESEARCH INSTITUTE initiated a three year research and development program to provide symbology developers with recommended guidelines for updating symbology to meet todays and tomorrows user needs. The first year effort focused on establishing a framework for the development of improved imilitary symbology (CICCONE, SAMET, and CHANNON, 1979), and on the demonstration of a task-based approach for determining map information requirements (LANDEE, SAMET, and FOLEY, 1979). The second year of work was concerned with extending the symbology development framework by systematically enlarging and refining the related information requirements database (LANDEE, SAMET, and GELLMAN, 1980), and by establishing and demonstrating an evaluation model and methodology for empirically testing new approaches to improving the symbolic representation of battlefield information (SAMET, GEISELMAN, and LANDEE, 1980). The third year of the research effort focused on three distinct tasks.

- (1) The creation of an automated tactical symbology catalog containing a collection of existing symbologies from numerous sources (e.g. NATO, FM 21-30, etc.).
- (2) The survey of the user community to identify relevant tactical concepts that do not have standard graphic fortrayal method.
- (3) The development of human-factor criterion to resolve redundancies and conflicts between existing and proposed symbols.

kirolotolotolotolotolotolotolotolotolotolo	KWWWW
* EXIT	×
k	×
itokokokokokokokokokokokokokokokokokokok	icalealealea

PLATE 3: SELECTING RESULTS OF SYMBOLOGY SURVEY FOR EXAMINATION OVERVIEW

SUMMARY OF SYMBOLOGY PROGRAM

Summary of the three year research and development program on battlefield symbology.

RESULTS OF SYMBOLOGY SURVEY

Results of symbology survey.

SYMBOL DISCRIMINABILITY

Description of symbol discriminability.

TACSYM SYSTEM DEVELOPMENT

Description of the automated catalogue software system.

press CONFIRM to make selection or EXIT *

PLATE 4: EXAMINING SURVEY RESULTS

Results of Symbology Survey

The results of the user survey may be found in a seperate volume entitled MILITARY SYMBOLOGY: A USER COMMUNITY SURVEY (LANDEE, GEISELMAN, and CLARK). The primary purpose of the survey effort concerned the identification of important military concepts that do not have a standard method of graphic portrayal in FM 21-30. The major concepts identified included status, capability, availability, threa, and logistics. Additional concepts included activities, cililian affairs, communications, enemy formations, range fans, and enemy 2nd echelons. These concepts were frequently displayed by the users surveyed, the techniques used, however, were personalized, not standardized.

Within the tactical symbology catalog few of the concepts identified by the survey may be found, From the sources used to compile this catalog, many of the concepts missing in FM 21-30 are still missing.

acicicicici de policici de la	**
* EXIT	*
*	*
stricinational distriction de la la contraction de la contraction	k X

PLATE 3: SELECTING RESULTS OF SYMBOL DISCRIMINABILITY STUDY FOR EXAMINATION

OVERVIEW

SUMMARY OF SYMBOLOGY PROGRAM

Summary of the three year research and development program on battlefield symbology.

RESULTS OF SYMBOLOGY SURVEY

Results of symbology survey.

SHEEL DISTRIBUTED

Description of symbol discriminability.

TACSYM SYSTEM DEVELOPMENT

Description of the automated catalogue software system.

**select...use UP and DOWN arrows to choose topic,

* press CONFIRM to make selection or EXIT

***selection or exit

PLATE 4: EXAMINING DISCRIMINABILITY STUDY RESULTS

Symbol Discriminability

A documet of the work compiled toward resolving symbol conflicts appears as a seperate volume entitled, "PERCEPTUAL DISCRIMINABILITY AS A BASIS FOR SELECTING MILITARY SYMBOLS" (GEISELMAN, LANDEE, and CHRISTEN, 1981). It is desirable for new symbols to, if possible, have different characteristics from those that are already in standard use so as to avoid confusion among symbols in a display. An easy to use discriminability index formula was developed which could be used to derive a figure of merit for alternative new symbols in terms of their potential discriminability from the existing symbols. It was hypothesized that the higher the discriminability index number for the symbol the faster that the symbol would be located in a display. Serval such predictions made on the basis of the discriminability index formula were confirmed in an experment, lending validity to the index equation.

There were numerous instances found in the catalog where more than one symbol existed to portray a specific concept. The discriminability index formula was applied in many cases to resolve the conflict. The results of the application may be found in the remarks section (DI =). The larger the DI number indicates that the symbol is more discriminable than the alternative, in terms of the fm 21-30 database. The formula was not applied, however to air track or iconic symbols, since although they would be highly discriminable, they are unlikely additions to the FM 21-30 symbology. It should also be noted that perceptual discriminability is only one important criteria to be considered when selecting an optimal symbol set.

itototokokotototototokokototokotototokot	
* EXIT	×
*	×
in in desirabetate desirabetate desirabetate desirabetate desirabetates de de desirabetates de desirabetates de desirabetates de desirabetates de desirabetates de desirabetates de de desirabetates de desi	

PLATE 3: SELECTING TACSYM DEVELOPMENT DESCRIPTION SUMMARY FOR EXAMINATION

OVERVIEW

SUMMARY OF SYMBOLOGY PROGRAM

Summary of the three year research and development program on battlefield symbology.

RESULTS OF SYMBOLOGY SURVEY

Results of symbology survey.

SYMBOL DISCRIMINABILITY

Description of symbol discriminability.

THIS IN SYSTEM DEVELOPHENT

Description of the automated catalogue software system.

PLATE 4: EXAMINING TACSYM DEVELOPMENT SUMMARY

TACSYM SYSTEM DEVELOPMENT

Development of the Automated Catalogue software system is described in a separate document (JOHNSTON and PECK, 1982) entitled "TACSYM Software Specifications and Design Document".

In addition, the Draft Document generated by the TACSYM program and published into report form (JOHNSTON, LANDEE and PECK, 1981) is also available.

kandiningkangangangangkangkangkangkangkangkangk	***
* EXIT	*
*	*
introduction interpretation in the design of	-

PLATE 2: SELECTING GENERAL RULES SECTION OF EXECUTIVE SUMMARY FOR EXAMINATION

EXECUTIVE SUMMARY

OVERVIEW

Description of the symbology program.

GENERAL FULES

Rules for defining symbols in the different symbology systems.

SAMPLE SYMBOLS

Embellished symbols from various symbology sources.

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (NATO D-49 SELECTED FOR UNIT SYMBOLS)

GENERAL RULES OF SYMBOLOGY

1.	SYMBOL	DEVE	OPMENT
	SILIBOL	DEVEL	UPIELII


1.1 Developing the Unit Symbol

- Development Rules as Specified by NATO D-49 (1980 DRAFT)
- 1.1.2 Development Rules as Specified by FM 21-30
- 1.1.3 Development Rules as Specified by BETA Test Bed
- 1.2 Developing the Weapon Symbol
 - 1.2.1 Development Rules as Specified by NATO D-40 (1980 Draft) 1.2.2 Development Rules as Specified by FM 21-30

 - 1.2.3 Development Rules as Specified by BETA Test Bed
- 1.3 Developing the Post and Installation Symbol
 - 1.3.1 Development Rules as Specified by NATO D-49 (1980 Draft)
 - 1.3.2 Development Rules as Specified by FM 21-30
 - 1.3.3 Development Rules as Specified by BETA Test Bed
- 2. USE OF COLOR

executivi isti suota del protectivi del del protectivi del del protectivi del pro select...use UP and DOWN arrows to choose topic, press CONFIRM to make selection or EXIT NO CONTRACTOR DE CONTRACTOR DE

1.1.1 DEVELOPMENT RULES AS SPECIFIED BY NATO D-49 (DRAFT, 1988)



more.... press CONFIRM to continue; other alternatives are: # EXIT * *


FIELD	DESCRIPTION
A	Role descriptor for units, posts and installations or equipment symbol.
B	Unconfirmed query mark associated with field A.
C	Size descriptor.
D	Headquarters representation.
Ε	Special descriptor (e.g., temporary grouping).
F	Unique designation — unique number or abbrevaited title of unit or installation (e.g., B/ILF — B Company of ILF.
G	Higher formations - unique number, abbreviated title of formation.
н	Reinforced or detached — associated with field $F(+, -, \pm)$.
I	Date-time group - representing the latest time at which information about the unit was available.
J	Direction of movement arrow — always positioned at the location point of the symbol.Rotates through a minimum of 8 cardinal points.
* more press CONFIR * PREVIOUS PAGE	oloioloidialaidiaidi

FIELD	DESCRIPTION
K	Free text - additional specialist or identifying information regarding installations only.
L	Name or type of equipments (or query mark).
М	Quantity of equipment.
N ,	Additional information — up to 8 alphanumeric characters followed by a space and DTG of 7 alphanumeric characters (e.g., NMB 03103020).
Fields for Enemy Forces	Only
FIELD	DESCRIPTION
o .	Evaluation rating - covers both source and information gradings and consists of one alphabetic and one numeric character.
Р	Combat Effectiveness - may be displayed as CE followed by space and 2 figures (Combat Effectiveness) or PC followed by space and 2 figures (Percetage).
Q	Addressing number - to be assigned when the identification of the symbol is incomplete or doubtful.
	M to continue; other alternatives are: * E, REPEAT or EXIT *


FIELD	DESCRIPTION
R	Signature equipment - if the equipment is a signature equipment indicate by !
S	Indicate enemy equipment by EN.

EXAMPLES

Friendly Unit:



Main Headquarters of the 2nd Battalion of the 76 Infantry Brigade (mechanized) less a significant detachment. The unit is under command of 2 (US) DIV. The information was valid at 1005Z on the 3rd of the month. The HQ is about to move NorthEast, no move before (NMB) 031030Z.



Enemy signal unit of unidentified size given an addressing number of 123. Unit equipped with HF radio, information graded A1, seen at 1015002.

end press PREVIOUS PAGE, REPEAT or EXIT
statistical action and a control of the contro

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (FM 21-30 SELECTED) FOR UNIT SYMBOLS

GENERAL RULES OF SYMBOLOGY

1.	1. SYMBOL DEVELOPMENT							
	1.1 Developing the Unit Symbol							
		1.1.3	Development Rules as Specified by NATO D-49 (1980 DRAFT) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed					
	1.2	Develop	ping the Weapon Symbol					
		1.2.2	Development Rules as Specified by NATO D-40 (1980 Draft) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed					
	1.3	Develo	ping the Post and Installation Symbol					
		1.3.2	Development Rules as Specified by NATO D-49 (1980 Draft) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed					
2.	USE 0	F COLOR						

1.1.2 DEVELOPMENT RULES AS SPECIFIED BY FM 21-30

C A DE

UNIT FIELD DESCRIPTIONS

FIELD	DESCRIPTION
A	Branch or duty performed (functional) symbol or abbreviation of unit. An over-all headquaters is indicated by placing the abbrevaiation (short title) inside the basic symbol.
B	Size symbol of unit designed. Size symbol are not shown for echelons higher than army group.
С	Unit's own designation.
D/E	Higher echelons of command separated by a slash (except CARS units). For those units identified under the Combat Army Regimental Systems (CARS), both the
* EXIT	CONFIRM to continue; other alternatives are:
** TOTO COLO COLO COLO COLO COLO COLO COLO	

FIELD

DESCRIPTION

D/E (cont)

traditional regimental numbers are shown. To avoid confusion with different levels of command, both numerical designation of the CARS unit are always written together and separated by a dash rather than a slash.

If there is a break in the chain of command, the appropriate size symbol is placed over the first echelon shown after the break (see example 1). To indicate the branch of one or more echelons in the chain of command (when different from the designated unit), the appropriate branch or duty performed symbol is placed under the particular echelon of command (see example 2). Regardless of the proceding, however, the size symbol may be placed over and the branch or duty performed symbol may be placed under any echelon in the chian of commnd if they are believed needed for more positive identification. If the represented unit obtains its designation from the unit to which it is assigned, and if no size symbol is applicable, the designation and size symbol of the unit to which it is assigned are placed on the right of the basic symbol. The branch or duty performed symbol is placed under the command echelon when required. (see example 3). If the represented unit has a designation but no size symbol the designation is shown on the left

FIELD

DESCRIPTION

D/E (cont)

of the basic symbol and the designation of the next echelon of command is placed on the right. (see example 4).


F

Further details, such as the kind of weapon, type of unit, and means of mobility, may be shown by placing the appropriate symbol or abbrevation under the basic symbol. (see Example 5).

EXAMPLES

1 2-15/ 3

Company A, 2d Battalion, 15th Infantry, 3d Corps



Company B, 3d Battalion, 17th Infantry (mechanized), 3d Brigade, 5th Armored Division

EXAMPLES (cont)


3



Support Command, 1st Infantry Division



310th Field Army Support Command (FASCOM), 15 Army



ist Platoon, Battery A, (Vulcan SP), 2d Battalion, 15th Artillery, 9th Infantry Division

end press PREVIOUS PAGE, REPEAT or EXIT *

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (BETA RULES SELECTED) FOR UNIT SYMBOLS

DRAFT CATALOG

GENERAL RULES OF SYMBOLOGY

1.	SYMBOL DEVELOPMENT							
	1.1	Develo	ping the Unit Symbol					
		1.1.2	Development Rules as Specified by NATO D-49 (1980 DRAFT) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed					
	1.2	Develop	ping the Weapon Symbol					
		1.2.2	Development Rules as Specified by NATO D-40 (1980 Draft) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed					
	1.3	Develop	ping the Post and Installation Symbol					
		1.3.2	Development Rules as Specified by NATO D-49 (1980 Draft) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed					
2.	USE O	F COLOR						

PLATE 4: BETA RULES FOR UNIT SYMBOLS

1.1.3 DEVELOPMENT RULES AS SPECIFIED BY BETA TEST BED

	D	
В	А	C
	EFG	

	· -
FIELD	DESCRIPTION
A	Unit function
B	Unit identification
С	Parent unit identification
D	Echelon of unit
Ε	Location accuracy (U = Untargetable, T = Targetable)
F	Time of observation (hour of day)


FIELD

DESCRIPITION

G

Sensor source (P=Photo; S=Sigint; H = Humint; A = All; PS = Photo + Sigint; SH = Sigint + Humint; HP = Humint + Photo)

EXAMPLE



2nd Battalion,23d Armor, untargetable, last sighted at 13 hours by Sigint.


PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (NATO D-49 SELECTED, WEAPONS)

			Q	ENERAL F	u	LES OF SYMI	BOL	OGY			
1.	SYMB	OL DEVE	LOPMENT								
	1.1	Deyelo	ping the Unit	t Symbol	l						
		1.1.2	Development Development Development	Rules a	15	Specified	by	FM 21	-30		DRAFT)
	1.2	Develo	ping the Wear	oon Symb	ool	l .					
		1.2.2	Development Development Development	Rules a	15	Specified	by	FM 21	-30		Draft)
	1.3	Develop	ping the Post	t and Ir	st	tallation S	Symb	oo l			•
		1.3.2	Development Development Development	Rules a	ıs	Specified	by	FM 21	-30		Draft)
2.	USE OF	F COLOR									
NO/OK						ololokolololokololo	lololo	lokalojoka I		ololololo	iaialalalalalalalalalalalalalalalalalal
			JP and DOWN a								
*			s CONFIRM to								

1.2.1 Developmental Rules for Weapon Symbols as Specifed by NATO D-49 (1980 Draft)


WEAPON FIELD DESCRIPTION

Enemy Forces




- A. Role Descriptor
- B. Unconfirmed Query Mark associated with Field A
- G. Higher Formations
- I. Date Time Group
- J. Direction of Movement Arrow
- L. Name or Type of Equipment
- M. Quantity of Equipment
- N. Addition Information
- O. Evaluation Rating
- R. Signature Equipment (indicate by exclaimation point)
- S. Enemy

Example:



Enemy T72 tanks, of an unidentified unit, seen at 231600 Z at GR24624b adressing number 246 allotted. Quantity 12 is unconfirmed and information grading is B1.

Friendly Forces



- A. Role Descriptor
- B. Unconfirmed Query Mark associated with Field A
- F. Unique Designation
- G. Higher Formations
- H. Reinforced
- I. Date-Time Group
- J. Direction of Movement Arrow
- L. Name or Type of Equipment
- M. Quantity of Equipment
- N. Additional Information

Example:

81mm

Ø799902 ↑1 | A | 35G

 $4\times81\text{mm}$ medium mortars belonging to 1 platoon, A company of the 3rd Battalion Scots Guards. Information valid at 0800Z on the 7th of the Month.

Basic Weapon Symbols

- a. Base of shaft indicates location of symbol
- b. To show size the procedure is as follows:
 - 1. Select approportate symbol

•	Basic	Surface	to	Surface	Tactile	Missile
example:	:	\prod				

One (for medium) or two (for heavy) horizontal bars are added to denote approximate size. If no horizontal bar is shown, the light category is represented.

examples: Light Medium Heavy

c.	If the weapon has a high trajectory , a 0 is placed at the base of the shaft.
	example: Heavy Mortar Weapon
d.	If the weapon is a flat trajectory, anti-tank weapon, a is placed at the base of the shaft.
	example:
	Light Anti-Tank Gun
e.	If the weapon is primarily for air defense, a is placed at the base of the shaft.
	example:
	Light Surface to Air Missile
*	more press CONFIRM to continue; other alternatives are: * PREVIOUS PAGE, REPEAT or EXIT *

f.	If the weapon is is placed at the	a rocket projector (head of the shaft.	or launcher, a	^
	example:	\$		

Heavy Anti-Tank Rocket Launcher

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (FM 21-30 SELECTED, WEAPONS)

GENERAL RULES OF SYMBOLOGY

1.	SYMBOL DEVELOPMENT						
	1.1	Develop	ing the Unit	: Symbol			
		1.1.2	Development	Rules as	Specified	by NATO D-49 by FM 21-30 by BETA Test	
	1.2	Develo	oing the Wear	oon Symbo	1 .		
		1.2.2	Development	Rules as	Specified	by NATO D-40 by FM 21-30 by BETA Test	
	1.3	Develop	ping the Post	t and Ins	tallation :	Symbol	
		1.3.2	Development	Rules as	Specified	by NATO D-49 by FM 21-30 by BETA Test	
2.	use o	F COLOR					
	elect	use	UP and DOWN as CONFIRM to	arrows to make sei	choose to	pic, EXIT	

1.2.2 Developmental Rules for Weapon Symbols as Specified by FM 21-30

A = Role Descriptor B = Location of C = Type of Trajectory D = Size (alternate method) E = Means of Locomotion F = Amount of Weapons in a group

Basic Weapon Symbols

- a. Base of shaft indicates location of symbol
- b. To show size the procedure is as follows:
 - 1. Select appropriate symbol

WEAPON FIELD DESCRIPTION

examples:

Basic Infantry Basic Artillery
Weapon Weapon

One (for medium) or two (for heavy) horizontal bars are added to denote approximate size. If no horizontal bar is shown, the light category is represented.

examples:

Light Automatic Medium Artillery

Heapon Gun

c. If a weapon has a high trajectory, a O is placed at the base of the shaft.

example:

O

Medium Mortar

d. If the weapon is a flat trajectory, anti-tank weapon, a is placed at the base of the shaft.

example:

Light Antitank Gun

e. If the weapon is primarily for air defense, a is placed at the base of the shaft.	
example:	
A heavy anti-aircraft gun	
f. If the weapon is a rocket projector or launcher, a is placed at the head of the shaft.	
example:	
Light Artillery Rocket Launcher	
g. If a weapon is also a tracked, self propelled vehicle, a opinion is placed below the weapon symbol.	
example:	
A Tracked self-propelled medium howitzer	
# more press CONFIRM to continue; other alternatives are: * PREVIOUS PAGE, REPERT or EXIT	**
	*

Grouping of Weapons. Groupings of weappons or multiple barrels may be indicated by writing the number of weapons to the left of the symbol.

Four medium mortars

Four light anti-aircraft guns or one four-barrel light anti-aircraft gun

Alternate Method of Size Indication. Another method of indicating the size of a weapon is to write the caliber of the weapon to the right of

examples: 0 1 125
81mm Mortar 125mm Howitzer

Combining Equipment and Unit Symbol. If it is desired to indicate the principle weapon or price of equipment with which a military unit is equipped, the appropriate symbol is placed directly under the unit symbol (other additional information is also placed under the unit symbol, when desired).

examples:

Field Artillery Battery with 105mm Howitzers

end press PREVIOUS PAGE, REPEAT or EXIT

displacionalisationalis

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (BETA RULES SELECTED, WEAPONS)

			G	ENERAL	RU	LES OF SYM	BOL	OGY		
1.	SYMBOL DEVELOPMENT									
	1.1	1.1 Developing the Unit Symbol								
		1.1.2	Development Development Development	Rules	ās	Specified	by	FM 21-	30	DRAFT)
	1.2	Develop	ping the Weap	oon Sym	nbo	1				
		1.2.2	Development Development Development	Rules	as	Specified	by	FM 21-	30	Draft)
	1.3	Develop	oing the Post	and 1	(nst	tallation	Syml	oo l		
		1.3.2	Development Development Development	Rules	as	Specified	by	FM 21-	30	Draft)
2.	USE OF	COLOR								
		ladar dalah da								

PLATE 4: BETA RULES FOR WEAPONS

- 1.2.3 Developmental Rules for Weapons Symbols as Specified by BETA Test Bed Entity symbols are based upon the standard symbology outlined in FM 21-38 and STANAG 2019.
 - A. The "geographic" location of the unit is in the center of the symbol.
 - B. The quantity of like objects at one location is to the right of the symbol.
 - C. In some cases an amplifying designation is provided under the symbol.

example: 2 6 Two SA-56 Missile Launchers

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (NATO D-49 SELECTED--POST AND INSTALLATION)

GENERAL RULES OF SYMBOLOGY

1. SYMBOL	DEVELOPMENT	
-----------	-------------	--


- 1.1 Developing the Unit Symbol
 - 1.1.1 Development Rules as Specified by NATO D-49 (1980 DRAFT)
 1.1.2 Development Rules as Specified by FM 21-30
 1.1.3 Development Rules as Specified by BETA Test Bed
- 1.2 Developing the Weapon Symbol
 - 1.2.1 Development Rules as Specified by NATO D-40 (1980 Draft)
 1.2.2 Development Rules as Specified by FM 21-30
 1.2.3 Development Rules as Specified by BETA Test Bed
- 1.3 Developing the Post and Installation Symbol
 - Development Rules as Specified by NATO D-49 (1980 Draft)
 - 1.3.2 Development Rules as Specified by FM 21-30
 - 1.3.3 Development Rules as Specified by BETA Test Bed
- 2. USE OF COLOR

* select...use UP and DOWN arrows to choose topic, press CONFIRM to make selection or EXIT

PLATE 4: NATO D-49 POST/INSTALLATION RULES

1.3.1 Developmental Rules as Specified by NATO D-49 (1990 Draft)

Friendly Forces - Posts and Installations Representation




Field Descriptron

- A. Role Descriptor
- B. Unconfirmed Query Mark associated with Field A
- C. Size Descriptor
- E. Special Descriptor
- F. Unique Designation
- G. Higher Formations
- H. Reinforced or Detached
- I. Date-Time Group
- J. Direction of Movement Arrow
- K. Free Text (additional identity information)
- N. Additional Information (alphanumeric information)

Enemy Forces - Posts and Installations

Field Description



- A. Role Descriptor
- B. Unoconfirmed Query Mark assocaiated with Field A
- C. Size Descriptor
- E. Special Descriptor
- F. Unique Designation
- G. Higher Formations
- H. Reinforced or Detached
- I. Date-Time Group
- J. Direction of Movement Arrow
- K. Free Text (additional identifying information)
- Additional information (alphanumeric information)
- O. Evaluation Rating
- Fields for P. Combat Effectiveneeess
- Enemy Forces Only Q. Addressing Number

more.... press CONFIRM to continue; other alternatives are: PREVIOUS PAGE, REPEAT or EXIT

1.3.1	i Developmental Rules for Installations as Specified by NATO (1980 Draft)					
	A.	A solid single lined figure denotes present location of friendly forces.				

example:

Friendly Logistic Installation Location

B. Broken single lined figure denotes planned location of friendly forces.

example:

Planned Friendly Logistic Installation Location

C. Solid double lined figure denotes present location of enemy forces.

example:



Enemy Logistic Installation Location

D. Broken double lined fingure denotes planned location of enemy forces.

example:



Planned Enemy Logistic Installation Location

end press PREVIOUS PAGE, REPEAT or EXIT *

* totologicologi

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (FM 21-30 POST/INSTALLATION SELECTED)

GENERAL RULES OF SYMBOLOGY

	4	•				~		

1. SYMBOL DEVELOPMENT

- 1.1 Developing the Unit Symbol
 - 1.1.1 Development Rules as Specified by NATO D-49 (1980 DRAFT)1.1.2 Development Rules as Specified by FM 21-30

 - 1.1.3 Development Rules as Specified by BETA Test Bed
- 1.2 Developing the Weapon Symbol
 - 1.2.1 Development Rules as Specified by NATO D-40 (1980 Draft) 1.2.2 Development Rules as Specified by FM 21-30

 - 1.2.3 Development Rules as Specified by BETA Test Bed
- 1.3 Developing the Post and Installation Symbol
 - 1.3.1 Development Rules as Specified by NATO D-49 (1980 Draft)
 - Development Rules as Specified by FM 21-30
 - 1.3.3 Development Rules as Specified by BETA Test Bed
- 2. USE OF COLOR

select...use UP and DOWN arrows to choose topic, press CONFIRM to make selection or EXIT

PLATE 4: FM 21-30 POST/INSTALLATION RULES

1.3.2 Developmental Rules for Posts and Installations as Specified by FM 21-30

Field Designation	ons
-------------------	-----

C A I

B

- A. Installation Designation
- B. Sub-Classification
- C. Unit Designation or Number of Installation
- D. Unit Designation Alternate Placement

Developmental Rules

- A. A circle shaded at the bottom, with an appropriate symbol therein, represents a supply installation or activity. A circle without shading, with an appropriate symbol therein, represents some other type of combat service support activity.
- B. Each of the ten classes of supply is represented by a symbol while subclassifictation within each class are represented by letters (see FM 101-10-1) for details on the ten classes of supply). Combined with the shaded circle discussed necessary to show sub-classification, appropriate letter may be placed under the basic symbol.

example:

R (Refigerated Subsistence)



* more.	press	CONFIRM t	o continue;	other	alternatives	are:	*
*	EXIT		•				*
Material	ninininininininininini			unicipinioir			totototok

c.	By combining the symbol for a particulatr class with the symbol for
	"Air Force" or "Army Aviation"," accurate subclassification representation
	mau also be achieved.

example:

POL (Ground)



Air Force POL



Army Aviation POL



D. Letters placed below the symbol show a segregated sub-classification

- E. Installations and activities are identified accordinging to the type of operation (i.e., supply, hospital, graves registration) and are further identified by one of the following methods as appropriate:
 - (1) By the unit designation of the unit operating the installation or activity. In this case the unit designation appears on the left.

examples:





800th Field Depot 7th Army (All Classes of supply) 27th Mobile Army Surgical Hospital

(2) If the installation or activity has been numbered, this number appears on the left and the related unit designation appears on the right.

Examples:





Traffic Control Post #3, 4th Armored Division Prisoner of War Camp #2, 39th Military Police Prisoner of War Brigade

more.... press CONFIRM to continue; other alternatives are: # PREVIOUS PAGE, REPEAT or EXIT # detailed and a laternative and a laternative are: # PREVIOUS PAGE, REPEAT or EXIT # detailed and a laternative are: # PREVIOUS PAGE, REPEAT or EXIT # detailed and a laternative are a laternative are a laternative are: # PREVIOUS PAGE, REPEAT or EXIT # detailed and a laternative are a laternati

(3) By unit for which the installation or activity is operated. In this case the designation appears on the right.

Examples: (ICC) FAS

+ + 24 SMC

Inventory Control Center, 23rd FRSCOM

Maintenance Management Center, 24th Supply and Maintenance Command

Developing and the observation or listening post symbol.

(1) The observation post (OP) or listening post obtains its designation from the unit to which it is organic. This designation, with its size symbol, is shown on the right as illustrated below:

Examples:



Observation Post, 3rd Infantry Division



Observation Post, 2nd Balttalion , 14th Artillery

(2) When the same unit has the several observation or listening posts, they are numbered as illustrated below:

Examples:



OP #1, 2d Battalion, 14th Artillery



OP #2, 2d Battalion, 14th Artillery

end press PREVIOUS PAGE, REPEAT or EXIT *

207

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (BETA POST/INSTALLATION SELECTED)

GENERAL RULES OF SYMBOLOGY

1.	SYMBOL DEVELOPMENT								
	1.1 Developing the Unit Symbol								
		1.1.1 Development Rules as Specified by NATO D-49 (1980 DRAFT) 1.1.2 Development Rules as Specified by FM 21-30 1.1.3 Development Rules as Specified by BETA Test Bed							
	1.2	Developing the Weapon Symbol							
		1.2.1 Development Rules as Specified by NATO D-40 (1980 Draft) 1.2.2 Development Rules as Specified by FM 21-30 1.2.3 Development Rules as Specified by BETA Test Bed							
	1.3 Developing the Post and Installation Symbol								
		1.3.1 Development Rules as Specified by NATO D-49 (1980 Draft)							

- 1.3.2 Development Rules as Specified by FM 21-30
 1.3.2 Development Rules as Specified by BETA Test Bed
- 2. USE OF COLOR

* select...use UP and DOWN arrows to choose topic, press CONFIRM to make selection or EXIT ACHO CONTRACTOR AND ACTOR ACTO

PLATE 4: BETA POST/INSTALLATION RULES

- 1.3.3 Developmental Rules for Installations as Specified by BETA Test Bed A. Location of the entity is designated by a pick point placed in the center of the symbol.
 - B. Three characters designating amplifying information or site/point type are placed below the symbol.

example: Site/point type or characters of amplifying information

 $\begin{array}{c} \text{ initial of the initial of$

PLATE 3: EXAMINING MENU SELECTIONS FOR GENERAL RULES OF SYMBOLOGY (USE OF COLOR SELECTED)

			GENERAL RULES OF SYMBOLOGY	
1.	SYMB	OL DEVE	LOPMENT	
	1.1	Develo	ping the Unit Symbol	
		1.1.2	Development Rules as Specified by NATO D-49 (1980 DRAFT) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed	
	1.2	Develo	ping the Weapon Symbol	
		1.2.2	Development Rules as Specified by NATO D-40 (1980 Draft) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed	
	1.3	Develo	ping the Post and Installation Symbol	
		1.3.2	Development Rules as Specified by NATO D-49 (1980 Draft) Development Rules as Specified by FM 21-30 Development Rules as Specified by BETA Test Bed	
Ξ.	USE 0	F COLOR		
*Otok	****	actotototok	O O NO O O O O O O O O O O O O O O O O	# 0(
	elect		UP and DOWN arrows to choose topic,	
*		pres	s CONFIRM to make selection or EXIT	

PLATE 4: EXAMINING USE OF COLOR FOR SYMBOLS

2. USE OF COLOR

COLOR	DESCRIPTION
Red	FM 21-30, NATO STANAG: Enemy units, installations, equipment, and activities.
,	VIDS, CDEC: Enemy units
	BETA: Enemy units, equipment, CPs, and enemy side of FEBA.
Blue (or Black)	FM 21-30, NATO STANAG: Friendly units, installations, equipment, and activites.
BLLE	VIDS, CDEC: Friendly units.
	BETA: Friendly units, equipment, CPs, and friendly side of FEBA.
Yellow	FM 21-30, NATO STANAG: Friendly or enemy areas of chemical, biological, or radiological contamination,
ioloioloioloioloioloioloioloioloioloio K more press CONFIRM	iologiciologiciologiciologiciologiciologiciologiciologiciologiciologiciologiciologiciologicio 1 to continue; other alternatives are:
* EXIT	. to continue, other diternatives are:

COLOR

DESCRIPTION

YELLOW

VIDS, CDEC: Contour lines.

BETA:

Unknown units, equipment, and CPs.

Green

FM 21-30, NATO STANAG:

Friendly or enemy man-made obstacles.

RETO.

FLOT, FLT, and maneuver units boundaries.

Dark red (Magenta)

BETA;

Units, equipment, and CPs which are nominated

as targets.

Orange

BETA:

Fire control lines and areas.

White

VIDS, CDEC:

Flashing white indicates a hit (on a unit,

weapon, or ground).

end press PREVIOUS PAGE, REPEAT or EXIT *

* totologicologi

PLATE 2: EXAMINING EXECUTIVE SUMMARY MENU SELECTIONS WITHIN TUTORIAL (SAMPLE SYMBOLS SELECTED)

EXECUTIVE SUMMARY

OVERVIEW

Description of the symbology program.


GENERAL RULES


Rules for defining symbols in the different symbology systems.


PHINFLE BATIENLE

Embellished symbols from various symbology sources.

PLATE 3: EXAMINING SAMPLE SYMBOLS







* SYSTEM OPERATIONS

* EXECUTIVE SUMMARY

PLATE 2: EXAMINING MENU SELECTIONS FOR SYSTEM OPERATIONS (HOW TO USE KEYBOARD SELECTED)

SYSTEM OPERATIONS

HOLL TO LIEE LEVENHELD

Description and simulation of keyboard function keys. Includes practice session for user insertion with keyboard functions.

CATALOGUE STRUCTURE

Structure and content description.

HOW TO ACCESS CATALOGUE

Access procedures.

* select...use UP and DOWN arrows to choose topic,

* press CONFIRM to make selection or EXIT

***production to the contract of the contract o

PLATE 3: EXAMINING MENU SELECTIONS FOR HOW TO USE KEYBOARD (KEYBOARD DEFINITION AND ILLUSTRATION SELECTED)

HOW TO USE KEYBOARD

EXEMPLE CEPTITION HAD ILLUSTRATIVE

This section demonstrates functions of the upper keyboard. It is recommended for inexperienced system users.

SYMBOL AND PRIMITIVE CREATION

This section is recommended for the user who is familiar with keyboard functions and desires practice.


PLATE 4: KEYBOARD DEFINITION AND ILLUSTRATION

KEYBOARD DEFINITION AND ILLUSTRATION

Interaction with the Tactical Symbology (TACSYM) system is accomplished using the keyboard. The primary keyboard sections are:

- * FUNCTION KEYS 12 keys at the top of the keyboard used to create graphic symbols in the catalogue.
 - these keys have both shifted and unshifted functions.
 - % 4 arrow labelled keys to move the graphics cursor when drawing symbols.
 - % 6 symbol drawing keys to use vectors, arcs circles, polygons, etc. to create symbols.
 - % 2 symbol editing keys to help construct a symbol that is being generated.
- * CONTROL KEYS used in TUTORIAL to tell the system when to proceed, to page back and forth through
 - information, and to select areas to examine. - CONFIRM, PREV. PAGE, EXIT, REPEAT, UP and DOWN
 - ARROW keys (at the top left of the keyboard), all allow user to control text presentation.
- * KEYBOARD - the remaining keys are used to add alphanumeric information to symbols or to enter symbology data such as source, concept, and category names and user remarks.

(C				Oloko		KAKAKAKA	okokokokokokokokokokokokokokokokokokok	****	kilajajojojajajajojojojojojo
×	more	press	CONFIRM	to	continue;	other	alternatives	are:	*
*		EXIT							*
٠.	indrat and natival ration			-	destruientes destruientes des		والمراجعة		indrated retrieve and retrieve and re-




GRAPHICS WINDOW:

The box you see above is a graphics window and is the area where symbols and primitives are constructed and drawn. Notice inside the window above is a (+) sign; this is the representation for the graphics cursor.

FUNCTION KEY DEFINITIONS:

- * this tutorial will provide a definition for each of the function keys followed by a simulation of their operation.
- * the REPEAT key can be used after function key simulations to display the action again.
- * respond to the messages at the bottom of the screen after initiating each function key simulation.




CURSOR CONTROL KEYS:

The 4 function keys (labelled with ARROWS) at the top left are the cursor control keys. They move the graphics cursor in the direction indicated by the ARROWS; that is \pm left, up, down, and right. The ARROW keys labelled FAST move the graphics cursor 5 points at a time while the shifted ARROW keys move 1 point at a time.

SIMULATION:

- * the cursor will move left slowly, then faster until it reaches the edge of the graphics window. It will then move right, back to where it started followed by moving up slowly then faster and finally it will move back to its original position.
- * when the cursor hits the edge of the graphics window it blinks on and off. Moving the cursor outside the graphics window is not allowed.

Press CONFIRM to initiate cursor SIMULATION




CURSOR CONTROL KEYS:

The 4 function keys (labelled with ARROWS) at the top left are the cursor control keys. They move the graphics cursor in the direction indicated by the ARROWS; that is - left, up, down, and right. The ARROW keys labelled FAST move the graphics cursor 5 points at a time while the shifted ARROW keys move 1 point at a time.

SIMULATION:

- * the cursor will move left slowly, then faster until it reaches the edge of the graphics window. It will then move right, back to where it started followed by moving up slowly then faster and finally it will move back to its original position.
- * when the cursor hits the edge of the graphics window it blinks on and off. Moving the cursor outside the graphics window is not allowed.

Press CONFIRM to initiate cursor SIMULATION



DEFINING POINTS:

The DEFINE POINT key specifies a location in the graphics window. When this key is used an X is overlayed on the graphics cursor as shown in the window above.

SIMLLATION:

- * the 4 ARROW function keys and the DEFINE POINT key will be used.
- * fast cursor (unshifted ARROWS) moves 5 times faster than the shifted cursor operation. The graphics cursor is destructive, that is, as it crosses a point it erases what was there.
- * the fast cursor will move upwards, define a point, move down, then move right slowly and define a point and finally move down fast to define the last point outlining a box.
- * notice the DESTRUCTIVE NATURE of the cursor in single moves versus fast movement and relative to direction of movement.

Press CONFIRM to initiate DEFINING POINTS

× ■ ; ×

DEFINING POINTS:


The DEFINE POINT key specifies a location in the graphics window. When this key is used an X is overlayed on the graphics cursor as shown in the window above.

SIMULATION:

- * the 4 ARRCW function keys and the DEFINE POINT key will be used.
- * fast cursor (unshifted ARROWS) moves 5 times faster than the shifted cursor operation. The graphics cursor is destructive, that is, as it crosses a point it erases what was there.
- * the fast cursor will move upwards, define a point, move down, then move right slowly and define a point and finally move down fast to define the last point outlining a box.
- * notice the DESTRUCTIVE NATURE of the cursor in single moves versus fast movement and relative to direction of movement.

Press CONFIRM to initiate DEFINING POINTS

*XX	kakakakakakakakaka		jakokalakalakaj	WOODWINIOK	***	****	*********	*****	*****
*	more	press	CONFIRM	to cont	inue;	other	alternatives	are:	*
*		PREVIO	OUS PAGE,	REPEAT	for E	XIT			*
жX	οιοιοιοιοιοιοιοιο	(cita)(cita)(cita)		CHOKOKOKOKO	k*k***	*****		*****	akakakakakakakakakakaka



ERASING POINTS:

The ERRSE POINTS key (shifted VECTORS) will erase the X's left from previous use of the DEFINE POINT function.

SIMULATION:

- * 5 points will be defined by moving the graphics cursor to different places in the graphics window.
- * the 5 defined points and the cursor will then be erased. The graphics cursor will then be relocated to the first point defined.

Press CONFIRM to initiate DEFINE POINTS followed by ERASE POINTS

× -


ERASING POINTS:

The ERASE POINTS key (shifted VECTORS) will erase the X's left from previous use of the DEFINE POINT function.

SIMULATION:

- * 5 points will be defined by moving the graphics cursor to different places in the graphics window.
- * the 5 defined points and the cursor will then be erased. The graphics cursor will then be relocated to the first point defined.

Press CONFIRM to initiate DEFINE POINTS followed by ERASE POINTS




ERASING POINTS:

The ERRSE POINTS key (shifted VECTORS) will erase the X's left from previous use of the DEFINE POINT function.

SIMULATION:

- * 5 points will be defined by moving the graphics cursor to different places in the graphics window.
- * the 5 defined points and the cursor will then be erased. The graphics cursor will then be relocated to the first point defined.

Press CONFIRM to initiate DEFINE POINTS followed by ERASE POINTS




DRAWING VECTORS:

The VECTOR(S) key draws lines in the graphics window to connect points which have been defined. Two, three, four or five points can be defined and the VECTORS function will connect them.

SIMULATION:

- * 5 points will be defined using the cursor move (ARROW keys) and DEFINE POINT functions.
- * vectors will then be drawn connecting these points. Notice the X's are erased before the points are connected.

Press CONFIRM to initiate drawing of VECTORS.



DRAWING ARCS:


The ARC key and its shifted version FILL ARC are graphical objects that are defined the same way. Three (3) points are defined with the second point determining the height of the arc. The first and third points defined are the ends of the arc.

SIMULATION:

- * 3 points will be marked in the graphics window using the ARROW and DEFINE POINT functions. The ARC function will then be invoked to complete the action.
- * 3 more points will be defined and the FILL ARC function illustrated.

Press CONFIRM to initiate the drawing of the ARCS.

					ololok
* more	press CONFIRM	to continue; other	alternatives	are:	*
*	PREVIOUS PAGE,	REPEAT or EXIT			*
					OlOlok




DRAWING CIRCLES:

The CIRCLE key and its shifted version FILL CIRCLE are defined in the same manner. When two (2) points are defined and the CIRCLE key invoked, a circle is drawn with the two defined points lying on the sides of the circle. The FILL CIRCLE key draws a shaded circle between 2 points.

SIMULATION:

- * 2 points will be defined and the CIRCLE function will outline a circle.
- * 2 more points will be defined and a FILLED CIRCLE drawn.
- * notice that the 2 DEFINED POINTS marked by X's are erased before the circle is drawn.

Press CONFIRM to initiate drawing of CIRCLES.




DRAWING POLYGONS:

The POLYGON KEY is similar to the VECTOR(S) key except it connects the last point defined with the first point defined to enclose figures. Six (6) points can be defined and connected using POLYGON. Three (3) points must be defined in order for POLYGON to work. The points are connected in the order they are defined.

SIMULATION:

- * 6 points will be defined using the ARROW and DEFINE POINT functions.
- * the POLYGON function will then erase the marked points before drawing the connected vectors enclosing the area.

Press CONFIRM to initiate drawing the POLYGON.




DRAWING FILLED POLYGONS:

The FILL POLYGON key is the shifted version of POLYGON. Its function is identical except that in order to shade in an area, the area defined by the set of points must be open. This means that the vectors that outline the polygon can not cross. Remember, 3 to 6 points can be defined and the last point defined will be connected to the first.

SIMULATION:

- * 4 points will be defined, connected and the resulting figure shaded in.
- * notice that the X's defining the points are erased before the FILLED POLYGON is drawn.

Press CONFIRM to initiate drawing a FILLED POLYGON.



ADDING PRIMITIVES:


The ADD PRIMITIVE key provides a way to add previously defined graphical components to a symbol under construction. When invoked, the ADD PRIMITIVE function requests that the name of a primitive be typed in. The primitive will be located in the graphics window at the position of the graphics cursor.

SIMULATION:

- * no requirement to DEFINE POINT; the primitive will be placed at the graphics cursor.
- * a POLYGON primitive will be added to the symbol above in two places.
- * notice how the graphics cursor controls the positioning of the primitive that is added.

Press CONFIRM to initiate ADDING a PRIMITIVE.

more... press CONFIRM to continue; other alternatives are:
* PREVIOUS PAGE, REPEAT or EXIT
* total continue; other alternatives are:
* PREVIOUS PAGE, REPEAT or EXIT
* total continue is a continue in the continue is a continue; other alternatives are:
* PREVIOUS PAGE, REPEAT or EXIT
* total continue is a continue in the continue in the continue is a continue in the continue in the continue is a continue in the continue in the continue is a continue in the continue in the continue in the continue in the continue is a continue in the continu



ADDING SYMBOLS:


The ADD SYMBOL key is similar to the ADD PRIMITIVE function, it allows adding a previously constructed symbol to the current graphics window at the position of the graphics cursor. When invoked, the system requests a symbol number in the format - nnn.nnn.nnn - corresponding to CATEGORY.CONCEPT.SYMBOL NUMBER. This feature is useful in constructing similar symbols.

SIMULATION:

- * an arrow symbol will be added to the graphics window above located at the graphics cursor.
- * no need to DEFINE POINT when ADDING a SYMBOL.

Press CONFIRM to initiate ADDING a SYMBOL.

* more	press CONFIRM	to continue; oth	er alternatives	are:	*	
		REPEAT or EXIT			*	
destruction of the second					-	



ERASING GRAPHICS:

The ERASE LAST ADDITION key provides a way to remove the last graphical component, primitive or symbol added to the graphics window. It will also redraw the cursor and any defined points. ERASE LAST ADDITION can be used repeatedly until there is nothing remaining in the graphics window.

SIMLLATION:

- * 3 figures will be defined and drawn in the graphics window. after the third one is drawn, the window will be erased and redrawn minus the LAST ADDITION.
- * notice the order in which the 3 figures are drawn.

Press CONFIRM to initiate execution of ERASE LAST ADDITION.

ABCDEfghij


ADDING TEXT:

The ADD TEXT key provides a way to accompany text with the symbol in the graphics window. It is the shifted version of the ERRSE LAST ADDITION key. When invoked, a menu is displayed asking what size characters to use. Size 1 is the standard terminal character set while sizes 2 and 3 are 2 and 3 times larger. To stop ADDING TEXT, any function key or CONFIRM can be pressed.

SIMULATION:

- * standard size text will be entered in the graphics window above, the system controls advancing the graphics cursor as text is entered.
- * notice how the cursor precedes the text and moves down when the $-\lambda t$ hits the edge of the graphics window.

Press CONFIRM to initiate ADDING TEXI.



REDRAWING GRAPHICS:


The REDRAW key allows redisplaying the contents of the graphics window. This feature is useful during symbol construction due to the destructive nature of the graphics cursor. Everything is redrawn in the same order that it was created.

SIMLLATION:

- * a box will be defined and drawn. The cursor will be be moved to erase part of the box.
- \star the REDRAW function will then erase the entire graphics window and redraw the box and graphics cursor.

Press CONFIRM to initiate execution of REDRAW.

	o interpretation de la	aciciolololololololok
* more	press CONFIRM to continue; other alternatives are:	*
*	PREVIOUS PAGE, REPEAT or EXIT	*
	olalalalalalalalalalalalalalalalalalala	



USING GRID LINES:


The GRID ON/OFF key can be used during symbol construction to help orient graphical components symmetrically in the graphics window. The key acts like a toggle switch by drawing in the grid lines if they are not there and visa-versa.

SIMULATION:

- * in the graphics window above that contains a circle GRID lines will be drawn to help positin the cursor to DEFINE POINTS for a symmetric CIRCLE.
- * after drawing the second CIRCLE, the GRID lines will be turned off and the graphics window REDRAWN.

Press CONFIRM to initiate execution of GRID ON/OFF.

* end press PREVIOUS PAGE, REPEAT or EXIT	*					
*	*					
	ololok					



USING, GRID LINES:

The GRID ON/OFF key can be used during symbol construction to help orient graphical components symmetrically in the graphics window. The key acts like a toggle switch by drawing in the grid lines if they are not there and visa-versa.

SIMULATION:

- * in the graphics window above that contains a circle GRID lines will be drawn to help positin the cursor to DEFINE POINTS for a symmetric CIRCLE.
- * after drawing the second CIRCLE, the GRID lines will be turned off and the graphics window REDRAWN.

Press CONFIRM to initiate execution of GRID ON/OFF.

PLATE 2: EXAMINING MENU SELECTIONS FOR SYSTEM OPERATIONS (CATALOGUE STRUCTURE SELECTED)

SYSTEM OPERATIONS

HOW TO USE KEYBOARD

Description and simulation of keyboard function keys. Includes practice session for user insertion with keyboard functions.

CATALOGUE STAUCTUAL

Structure and content description.

HOW TO ACCESS CATALOGUE

Access procedures.

select...use UP and DOWN arrows to choose topic,

press CONFIRM to make selection or EXIT

possional approximation and accordance and a

PLATE 2: EXAMINING MENU SELECTIONS FOR SYSTEM OPERATIONS (HOW TO ACCESS CATALOGUE SELECTED)

SYSTEM OPERATIONS

HOW TO USE KEYBOARD

Description and simulation of keyboard function keys. Includes practice session for user insertion with keyboard functions.

CATALOGUE STRUCTURE

Structure and content description.

HUN TO HOLESS CHIHLDISLE

Access procedures.

select...use UP and DOWN arrows to choose topic,

press CONFIRM to make selection or EXIT

possional proportion of the control of the c

PROJECT BIBLIOGRAPHY

- "1st Year Framework for Development of Improved Military Symbology" Ciccone, Samet, and Channon 1979
- 2. "Map Information Requirements" Landee, Samet, and Foley 1979
- 3. "Symbology Evaluation Model" Samet, Geiselman, and Landee 1980
- 4. "Military Symbology": A User Community Survey Landee, Geiselman, and Clark 1981
- 5. "Perceptual Discriminability as a Basis for Selecting Military Symbols" Geiselman, Landee, and Christen 1981
- 6. "TACSYM System Design and Software Specifications" Johnston and Peck 1981
- 7. "TACSYM Software Installation Guide" Johnston and Peck 1981
- 8. "Graphic Portrayal of Battlefield Information Executive Summary" Landee and Geiselman 1981